

ISSN Online: 2153-120X ISSN Print: 2153-1196

Mass Constituents of a Flat Lattice Multiverse: Conclusion from Similarity between Two Universal Numbers, the Rocksalt-Type 2*D* Madelung Constant and the Golden Mean

Hans Hermann Otto

Materialwissenschaftliche Kristallographie, Clausthal University of Technology, Clausthal-Zellerfeld, Germany Email: hhermann.otto@web.de

How to cite this paper: Otto, H.H. (2018) Mass Constituents of a Flat Lattice Multiverse: Conclusion from Similarity between Two Universal Numbers, the Rocksalt-Type 2*D* Madelung Constant and the Golden Mean. *Journal of Modern Physics*, **9**, 1-13. https://doi.org/10.4236/jmp.2018.91001

Received: October 4, 2017 Accepted: January 5, 2018 Published: January 8, 2018

Copyright © 2018 by author and Scientific Research Publishing Inc. This work is licensed under the Creative Commons Attribution International License (CC BY 4.0).

http://creativecommons.org/licenses/by/4.0/





Abstract

In fairly good agreement with the consensus range of dark energy to matter this ratio of the critical density is suggested to be connected with the golden mean $\,\varphi=0.6180339887$, yielding for dark energy to matter mass fractions $\,\Omega_{\Lambda}/\Omega_{m}=72.361/27.639=1+\varphi^{-1}=\varphi^{-2}=2.6180339$. Assuming the baryonic matter to be only 4.432%, the ratio of matter to baryonic matter would be $\,\Omega_{m}/\Omega_{b}=6.236068=\varphi^{-3}+2=2\varphi^{-2}+1$, and further the ratio of dark matter to baryonic one $\,\Omega_{dm}/\Omega_{b}=5.236068=\varphi^{-3}+1=2\varphi^{-2}$. If one subtracts from the dark matter a contribution of antimatter with the same mass of baryonic matter, according to the antigravity theories of $\,Villata$ respectively $\,Hajdukovic$, the remaining mass ratio would yield $\,\Omega_{r}/\Omega_{b}=4.236068=\varphi^{-3}=2\varphi^{-2}-1$. Replacing the "Madelung" constant α of $\,Villata$ s "lattice universe" by φ , one reaches again $1+\varphi$ as the ratio of the repulsive mass contribution to the attractive one. Assuming instead of a 3D lattice a flat 2D one of rocksalt type, the numerical similarity between the Madelung constant

 α_{2D} (NaCl) = 1.6155426... and φ^{-1} could not be just coincidence. The proposed scaling of the cosmological mass fractions with the square of the most irrational universal number φ may indicate that the chaotic cosmological processes have reached a quite stable equilibrium. This may be confirmed by another, but similar representation of the mass constituents by the *Archimedes'* constant π , giving for $\Omega_b = (\pi - 3)/\pi = 0.04507$ respectively for the dark components $\Omega_{1-b} = 3/\pi = 0.95493$. However, the intimate connection of φ with its reciprocal may ignite the discussion whether our universe is intertwined with another universe or even part of a multiverse with the dark constituents contributed from there.

Keywords

Universal Numbers, Fractal Numbers, Golden Mean, Archimedes' Constant, Fibonacci Numbers, Madelung Constants, Sommerfeld's Fine Structure Constant, Euler Number, Lattice Universe, Reciprocal Universe, Cosmological Mass Fractions, Hubble Constant, Gyromagnetic Factor

1. Introduction

Since the discovery of the fivefold symmetry of quasicrystals, the present author as a crystallographer followed the appearance of this symmetry in nature. He was the first in Germany, who confirms the fivefold symmetry of quasicrystals by precise *Guinier X*-ray diffraction measurements [1]. Later, he described a *Fibonacci* superstructure of a pyroelectric bismuth sulfide iodide [2]. Even more, he applied the diffraction theory of a C60 buckyball to a cubic antiferromagnetic cuprate super-cage [3]. Finally, the research on high- T_c superconductors leads him to uncover the possible fractality and self-similarity of this class of compounds [4]. Familiar with the *Fibonacci* number sequence and the most irrational universal number of the golden mean, the motivation was obvious to deal with the *Penrose* universe, too.

Now follow this idea and consider two numerically comparable universal numbers, which may be suitable to combine theoretical approaches that deal with the secrets of our universe.

The first universal number that we highlight as golden mean φ seems to people deeply familiar and induces the impression of perfect beauty. Inside, we suspect that it is something divine. Its secret is to mediate stability resulting from its most irrational character, which causes only particles as the center of gravity of vibrations with most irrational winding to survive [5] [6] [7]. In this version, $\varphi = (\sqrt{5} - 1)/2 = 0.618033\cdots$ is used for the golden mean instead of $\varphi^{-1} = (\sqrt{5} + 1)/2 = 1.6180339887 \cdots$ as in previous versions to prevent confusion with upcoming publications. The second number is the Madelung constant $\alpha_{2D} = 1.6155426267 \cdots$ of a 2D rocksalt-type lattice, familiar for crystallographers and material scientists that deal with ionic surfaces. It is found in Finch's monograph about Mathematical Constants [8]. Both numbers deviate from each other by merely 0.15%. The numerical similarity of these numbers may suggest a connection of theoretical approaches that rely on these numbers. We ask for similarities between El Naschie's E-infinity theory [5] [6] and Villata's lattice universe [9], respectively Hajdukovic's theory of the gravitational polarization of the quantum vacuum [10].

2. Explanation

The impressive *E*-infinity ($\varepsilon^{(\infty)}$) theory of *El Naschie* [5] [6] formally explains the amount of dark matter based on the golden mean. However, *Villata* [9], *Hajdu*-

kovic [10] and others (see further references given in [9] [10]) contributed the seminal idea that dark matter really does not exist and is merely the result of gravitational repulsion between matter and antimatter, once matter and antimatter have gravitational charges of opposite sign. Villata's cosmologic equation of antimatter gravity appears as a prediction of general relativity under CPT boundary conditions and supports Hajdukovic's explanation of gravitational polarization of the quantum vacuum by only baryonic matter as today known. However, the E-infinity theory and the antigravity concept can be merged by adapting the two similar universal numbers used, namely the golden number and the *Madelung* constant α of *Villata*'s "lattice universe". Herein matter particles and antimatter ones with the same mass, but different gravitational charges compose a lattice comparable with an ionic lattice such as NaCl in the electrostatic case. A result of Villata's cosmological equation [9] is that the ratio of the repulsive contribution to the attractive one would be $1 + \alpha$, similar to the ratio of dark energy and matter. However, the similarity between both theoretical approaches mentioned is evident, if one compares, in contrast to the formerly used 3D Madelung constant ($\alpha_{3D} = 1.7475645946\cdots$), the Madelung constant for a 2D rocksalt-type lattice [8] [11] with the reciprocal of the golden mean

$$\varphi^{-1} = 1.6180339887 \cdots$$
, α_{2D} (NaCl) = 1.6155426267 ····

The $\alpha_{\rm 2D}$ value is close to the quotient of two *Fibonacci* numbers, $21/13 = 1.615385\cdots$, and can be adapted to φ^{-1} by only slight distortion of the square net along the two dimensions or by involving the third one to allow a quite flat curvature. For comparison, *Smith* [12] computed *Madelung* constants associated with the electrostatic energy of perfect one-component icosahedral quasicrystals with spherical acceptance volume to be $M_{\rm qu} = 1.623$, and for the three-dimensional *Penrose* tiling $M_{\rm pt} = 1.655$. *Madelung* constants for three-dimensional lattices respectively quasi-lattices are of course always greater than for corresponding two-dimensional lattices.

Tentatively, φ instead of α may be used in *Villata*'s cosmological equation [9]. Then the ratio of the repulsive contribution to the attractive one would be $1+\varphi^{-1}=2.6180339$. Consequently, the ratio between dark energy and matter would yield 72.36% to 27.64% of the critical density still in fairly good agreement with results of recent cosmological models [13] [14]. The ratio of matter to baryonic matter, when assuming the last one to be only 4.432%, would be $\Omega_m/\Omega_b=6.236068=\varphi^{-3}+2=2\varphi^{-2}+1$, and further the ratio of dark matter to baryonic one $\Omega_{dm}/\Omega_b=5.236068=\varphi^3+5=\varphi^{-3}+1=2\varphi^{-2}$. If one subtracts from the dark matter a contribution of antimatter with the same mass of baryonic matter, according to the antigravity theories of *Villata* respectively *Hajdukovic*, the remaining mass ratio would yield $\Omega_r/\Omega_b=4.236068=\varphi^{-3}=2\varphi^{-2}-1$. Finally, the ratio of dark energy to baryonic matter yields $\Omega_\Lambda/\Omega_b=\varphi^{-2}\left(2\varphi^{-2}+1\right)=7\varphi^{-2}-2$, and the overall density to the dark energy $\Omega_\rho/\Omega_\Lambda=100/72.361=1.38196=1+\varphi^2=3-\varphi^{-1}$, respectively. Ω_b is then reduced

$$\Omega_b = (9\varphi^{-2} - 1)^{-1} = 0.04432 = 1/22.56 \approx 22/496 \approx 4/89$$
 (1)

which may be compared with recent results of *El Naschie's* theory [7] [15], giving $\Omega_b = \varphi^5/2 = 0.045085 = k/4 = 1/22.1803398$, where k = 0.1803398 is the dimensional regularization order parameter of *'tHooft* [15]. Subtracting our reciprocal baryonic mass fraction from *El Naschie's* value, one obtains

$$22.5623064 - 22.1803398 = 0.3819660 = \varphi^{2}$$

Doing the same with the dark energy reciprocal fractions, one yields

$$1.3819660 - 1.3708207 = 0.0111453 = \varphi^6/5$$

Table 1 compares the proposed mass fractions with values of existing cosmological models respectively measurements.

Surprisingly, the overall mass density of the universe Ω_o can be calculated from the mass of matter as follows:

$$\frac{\Omega_o}{\Omega_m} = \frac{\Omega_o}{\Omega_{dm} + \Omega_b} = 3.618033989 \dots = \varphi^{-2} + 1$$
 (2)

With the quotient of the overall mass to the dark energy

$$\frac{\Omega_o}{\Omega_{\Lambda}} = 1.381966 = 1 + \varphi^2 \tag{3}$$

we yield for the sum

$$\frac{\Omega_o}{\Omega_m} + \frac{\Omega_o}{\Omega_\Lambda} = 5 \tag{4}$$

The reciprocal quotients add up to

$$\frac{\Omega_m}{\Omega_o} + \frac{\Omega_\Lambda}{\Omega_o} = 1 \tag{5}$$

Now the reciprocal of the golden mean can be represented simply by the mean value of the root expressions:

$$\frac{1}{2} \left\{ \left(\frac{\Omega_m}{\Omega_o} + \frac{\Omega_\Lambda}{\Omega_o} \right)^{\frac{1}{2}} + \left(\frac{\Omega_o}{\Omega_m} + \frac{\Omega_o}{\Omega_\Lambda} \right)^{\frac{1}{2}} \right\} = \varphi^{-1}$$
 (6)

The geometrical mean gives

$$\left\{ \left(\frac{\Omega_m}{\Omega_o} + \frac{\Omega_\Lambda}{\Omega_o} \right) \cdot \left(\frac{\Omega_o}{\Omega_m} + \frac{\Omega_o}{\Omega_\Lambda} \right) \right\}^{\frac{1}{2}} = \sqrt{5}$$
(7)

Table 1. Cosmological parameter values Ω .

Primary Constituents -	Mass Fractions Ω						
	ΛCDM model [13]		WMAP mission [14]		φ^{-2} scaling proposal		
baryonic matter	0.0482 ± 0.0016	0.3067	0.046	0.286	0.04432	0.27639	
dark matter	0.2585 ± 0.0037	0.3067	0.24	0.286	0.23207		
dark energy	0.692 ± 0.010		0.714		0.72361		

The ratio of both until today invisible (dark) constituents, Ω_{Λ} and Ω_{dm} , can also be described by solely fractal numbers (*Fibonacci* numbers respectively the *golden mean*):

$$\frac{\Omega_{\Lambda}}{\Omega_{dm}} = \frac{21}{1 \times 2 \times 3} - \varphi^2 = \varphi^{-2} + \frac{1}{2} = \left(7\varphi^{-2} - 2\right) / 2\varphi^{-2}$$
 (8)

Table 2 summarizes the proposed scaling factors between the different primary mass constituents of the universe.

The proposed scaling of the cosmological mass fractions with the most irrational universal number φ may indicate that the chaotic cosmological processes have reached a quite stable equilibrium state. Despite a supposed different evolution, the densities of dark energy and dark matter remain nearly equal for billion years.

Following cosmologists, which studied the microwave background and the distribution of galaxies, the geometry of the universe at the very large scales is close to flat. Of course, a three-dimensional lattice would better mimic our sensual experience of three spatial dimensions.

The inverse second power of the golden mean can be physically reasonably approximated, using the transcendent number of *Sommerfeld's* fine structure constant $\alpha = 0.0072973525664(17)$ [6] [16] [17]

$$\varphi^{-2} \approx \frac{1}{2} (5\alpha)^{-\frac{1}{2}} = 2.61759$$
 (9)

Another universal fractal number, which is connected with the flat geometry of a quadratic *Henon* map, is $\delta_1 = 8.7210972$ [18] [19] [20]. Numerically, δ_1 is approximately related to φ^{-2} by

$$\varphi^{-2} = \varphi^{-1} + 1 \approx \frac{3}{5} \cdot \frac{\delta_1}{2} = 2.61633$$
 (10)

The future will show whether this has any physical meaning.

However, the square of the *Golden mean* can also be properly approximated by [20]

Table 2. φ^2 -based scaling factors between primary mass constituents Ω_i of the universe, $\varphi = (\sqrt{5} - 1)/2 = 0.61803398875\cdots$.

Ω_{I}	Ω_o	Ω_{Λ}	Ω_m	Ω_{dm}	Ω_b
Ω_o	1	$\varphi^2 + 1$	$\varphi^{-2} + 1$	$3 + \varphi^{-2}/2$	$9\varphi^{-2}-1$
Ω_{Λ}	$(\varphi^{-2}+1)/5$	1	$arphi^{-2}$	$1/2 + \varphi^{-2}$	$7\varphi^{-2}-2$
Ω_m	$(\varphi^2+1)/5$	$oldsymbol{arphi}^2$	1	$1+\varphi^2/2$	$2\varphi^{-2} + 1$
Ω_{dm}	$2/(\varphi^{-2}+6)$	$1/(1/2+\varphi^{-2})$	$2/(\varphi^2+2)$	1	$2arphi^{ ext{}2}$
Ω_b	$1/(9\varphi^{-2}-1)$	$1/(7\varphi^{-2}-2)$	$1/(2\varphi^{-2}+1)$	$1/2 \varphi^{-2}$	1

$$\varphi^{-2} \approx \frac{5}{3} \cdot \frac{\pi}{2} = 2.61799388 \cdot \cdot \cdot , \quad \left(\frac{5}{3} \cdot \frac{\pi}{2}\right)^{1/2} = 1.6180216$$
 (11)

In a similar relation one can connect the *Archimedes*' constant π with φ ³:

$$\varphi^3 = 0.236067977 \approx \frac{5}{3} (\pi - 3) \tag{12}$$

Quoting *El Naschie* again [21], the number $5 + \varphi^3 = 5.236067977$ represents the dimension of the fractal *Kaluza-Klein* spacetime. In contrast to our result, he yields for the ordinary matter fraction

$$\Omega_b = \frac{\varphi^3}{5 + \omega^3} = 0.045084 \tag{13}$$

Using equation (12), one gets

$$\Omega_b = \frac{\pi - 3}{\pi} = 0.045070$$
. [20]

This gives almost the same result. The alternative representation for the dark constituents (covering dark matter as well as dark energy) is convincingly simple [20]

$$\Omega_{1-b} = \frac{5}{5 + \varphi^3} = 0.954915 \approx \frac{3}{\pi} = 0.954930$$
(15)

Interestingly, the factors applied in the equations 9 to 15 are always members of the *Fibonacci* numbers sequence.

Another number that is indirectly involved in the scaling factor between cosmological mass constituents in the anti-screening theory of *Penner* [22] is $e^1 = 2.7182818\cdots$, deviating only 3.8% from φ^{-2} :

$$\frac{e^1}{\varphi^{-2}} = \frac{2.718282}{2.618034} = 1.0383 \tag{16}$$

Note that the *Lambert W* function used in *Penner's* approach [22] is an analog to the golden mean for exponential functions, quoting the interesting contribution of *Sherbon* [23].

Furthermore, continuing still with *Archimedes*' respectively *Euler* numbers, our value for Ω_b can be approximated by

$$\Omega_b = 0.044322 \approx \pi^{-e} = 0.044525 \cdots$$
(17)

Combining *Euler's* number with 'tHooft renormalon k one gets approximately

$$e + \ln k \approx 1 \tag{18}$$

3. An Intertwined "Reciprocal" Universe?

The peculiar nature of the *golden number* is intimately connected with its reciprocal value. Especially we have, besides $\varphi - \varphi^{-1} = 1$, the beautiful relation with respect to φ^2

$$(\varphi^{-2} + 1)^{-1} = (\varphi^2 + 1)/5$$
 or equivalently $(\varphi^2 + 1)^{-1} = (\varphi^{-2} + 1)/5$ (19)

This quality of the squared golden mean suggests the calculation of reciprocal mass constituents of the universe. By renormalization of these reciprocal values, it is evident that the mass constituents simply interchange their values such that baryonic matter gets exactly the value of formerly dark energy and vice versa. Mathematically, this is always given for binary constituents of any x and 1-x, respectively. However, it is different for multi-component systems as shown in **Table 3**. Cosmological consequences may be well conceived.

Both "dark" constituents of the universe, introduced to overcome discrepancies between cosmological measurements and the theory, may have even more importance than discussed recently. Philosophically, there is scientific truth in the beauty of such symmetry. Are we living in a self-similar universe that itself is intertwined with its "reciprocal" counterpart? Is our universe part of a multiverse with a contribution of the dark constituents from there? One may see similarities of such a "universe" with *Wolff*'s conjecture of the electron as a particle of nested highly coherent vibrations of most irrational frequency, a superposition of inwardly and outwardly extending spherical quantum waves [4] [24]. Since the author has studied self-similarity on quasi-crystals many years ago [1], the extracted results are once again stimulating.

Numerically, the reciprocal dark matter contribution (last column in **Table 3**) consists of two parts. Using symmetry arguments, it would be an obvious speculation to divide the dark matter also into two such proportions with a ratio of

$$\frac{\Omega_{dm1}}{\Omega_{dm2}} = \frac{2.118034 \cdot \Omega_b}{3.118034 \cdot \Omega_b} = \frac{\left(\varphi^{-2} - \frac{1}{2}\right)}{\left(\varphi^{-2} + \frac{1}{2}\right)} = 0.679285 \approx \frac{2}{3}$$
 (20)

Apparently, the following also results

$$\Omega_{dm2} - \Omega_{dm1} = 0.138197 - 0.093874 = 0.044322 = \Omega_b$$
 (21)

Referring to the theory of *El Naschie* [7], about 5/22 of the overall density is attributed to dark matter. Now we split 5 into 2 and 3, respectively. Then we get mass fractions of 2/22 = 0.09091 respectively 3/22 = 0.13636, surprisingly near to the calculated values in **Table 3**. The representation of integers enhances the probability of this assumption to be realistic. Once assumed such diversification

Table 3. Reciprocal mass constituents of the universe.

Primary Constituents	φ^2 Scaling	Reciprocal	Renormalized Reciprocal	
baryonic matter	0.04432	22.56231	0.72361	
dark matter	0.23207	4.30899	0.13820 +)	
		2.92700 *)	0.23207 0.09387	
dark energy	0.72361	1.38197	0.04432	
overall	1.00000	31.18034 **)	1.00000	

^{*)} needed extension to optimize the renormalization such that $31.1802/22.5622 = 1.38197 = 1 + \varphi^2$; **) $31.18034 = 5(2\varphi^{-2} + 1)$; +) corresponds exactly to half the formerly Ω_m value (see **Table 1**).

of dark matter, could it leave a fingerprint on the nature of the otherwise unseen particles of which it consists?

4. Interpretation of the φ^2 -Scaling

The fractal *Cantorian* set theory [25] as a model for the dualism between a pre-quantum particle P_Q and a pre-quantum wave W_Q , representing the zero set respectively its empty set boundary surrounding the pre-particle [26] [27], may deliver a modern interpretation of the φ^2 scaling. For the quantum wave, the bijective formula applied to the golden mean algebra yields the *Hausdorff* dimension [28] $d_c^{(n)} = \left(\varphi^{-1}\right)^{n-1}$ with the *Urysohn-Menger* [29] [30] topological dimension n, yielding for n=-1 the result $d_c^{-1} = \varphi^2$. Therefore, the empty set is represented by the bi-dimension $\dim \left(W_Q\right) = \left(n, d_c^{(n)}\right) = \left(-1, \varphi^2\right)$ [26] [27], which is obviously the observed scaling behavior of the mass constituents of the *Penrose*-type intertwined multiverse. The zero set of the quantum particle P_Q , on the other hand, is represented by the bi-dimension $\dim \left(P_Q\right) = \left(0, \varphi\right)$, because for n=0 it applies $d_c^0 = \left(\varphi^{-1}\right)^{0-1} = \varphi$.

Recently, *El Naschie* [31] quantified this approach further. He places the five-fold quasi-crystal symmetry in a *Kaluza-Klein* five-dimensional manifold and finds a five-dimensional zero set topological volume of φ^5 . Then the surface of this volume yields an additive five-dimensional area equal to $5\varphi^2$ that again represents the pre-quantum wave. In turn, he conjectured by an incredible conclusion that spacetime (*Spt*) itself is a cobordism of the pre-quantum wave with a topological dimension of n = -2 and a *Hausdorff* dimension of φ^3 , e.g., $\dim(Spt) = (-2, \varphi^3)$.

5. Competition between φ and π

The circle number π , when considered as a fractal number (see **Appendix** for the continued fraction representation), could host a secret that the mankind has not yet solved. Noteworthy is the coincidental relationship between φ and π (corresponding to Equation (11)) that leads to an approximation of π , the *Archimedes'* constant (see also [32]):

$$\frac{\Omega_{dm2}}{\Omega_b} = \frac{6}{5} \varphi^{-2} = 3.14164 \approx \pi \tag{22}$$

We will apply this relation to find an alternative representation of the quantum-electrodynamic correction for the *g*-factor of the electron. First introduced by *Schwinger* [33], the quantum-electrodynamic correction for the *g*-factor of the electron should be a/π with *Sommerfeld's* fine structure constant *a*. Combining the equations 9 and 22, respectively, one can express this correction as being proportional to the sixth power of the golden mean [34]:

$$g_e = 2 + \frac{\varphi^6}{24} = 2.0023220 \tag{23}$$

One can expand this formula by a second quadratic correction term to represent g_e with higher accuracy, covering eight exact decimal places in com-

parison with the highly precise experimental value [17]:

$$g_e = 2 + \frac{\alpha}{\pi} - \frac{1}{2} \left(\frac{\alpha}{\pi}\right)^2 = 2 + \frac{\varphi^6}{24} - \frac{1}{2} \left(\frac{\varphi^6}{24}\right)^2 = 2.002319307$$
 (24)

Tentatively, with the full series expansion for ln(1+x)

$$\ln(1+x) = x - \frac{x^2}{2} + \frac{x^3}{3} - \frac{x^4}{4} \pm \cdots$$
, where $x = \frac{\varphi^6}{24}$ (25)

one finally obtains

$$g_e = 2 + \ln(1.00232200) = 2.002319312$$
 (26)

The very recently obtained experimental g_e value as given in the *NIST* publication is [35]:

$$g_e = 2.00231930436182(52)$$

At first glance, this result may be a surprise. However, as far as φ is concerned, we follow *Marek-Crnjac*'s explanation [36] and *sum over all dimensions of infinite dimensional hierarchical Cantorian space-time* instead *of weighted trajectories of a system in the Feynman formulation of quantum mechanics*. It is evident that the golden mean is one of the most important universal numbers which essentially affects our life and should influence our global perception and thinking. The explanation of the g_e correction term by a *Casimir* radiative approach should be considered, correcting the sphere model of *Rosencwaig* by a factor of about two [37].

6. A Short Comment on the Gravitational Anti-Screening Theory

Let's leave the results presented in Table 2 aside Penner [22] published a gravitational anti-screening theory as an alternative to the standard ACDM model that partly contrasts the approach of Hajdukovic [10]. His theory actually leads to the Baryonic Tully-Fisher Relation (BTFR) [38] and is consistent with a geometrically flat universe, respectively. Virtual particle-antiparticle pairs with the quality that like "charges" attract and unlike ones repel surround a baryonic mass in the vacuum and produce an anti-screening effect [22] that could explain the dark energy. For a baryonic mass fraction of $\Omega_b = 0.0482$ [14], the model delivers a quite good overall density parameter of the universe of $\Omega_o = 1.009$, when using the new value $H_a = (72.5 \pm 1.2) \,\mathrm{km \cdot s^{-1} \cdot Mpc^{-1}}$ for the *Hubble* constant, recently estimated from *H0LiCOW* experiments [39]. However, if one sets Ω_o = 1, the baryonic mass can be determined with Penner's density relation, recast as $\Omega_b = H_o^2 \cdot R_{SC} / \big(4 \cdot g_o\big) \text{, where } g_o = \big(8.0 \pm 1.0\big) \times 10^{-11} \text{ m} \cdot \text{s}^{-2} \text{ is an empirical acceptance}$ celeration constant, derived from the BTFR, and R_{SC} = (89 ± 16) Mpc is half the separation between uniformly sized super-cluster centers [22]. One yields Ω_b = 0.0474, whereas our value of Ω_b = 0.0443 could be reproduced (see **Table 1**) if the *Hubble* constant would be 70.1 km·s⁻¹·Mpc⁻¹. The quotient of both *Hubble* constants mentioned is similar to that between the numbers e^{-1} and φ^{-2} .

7. Conclusions

Cosmological mass fractions Ω_i were tentatively scaled with the square of the most irrational universal number of the golden mean φ still in the consensus range of recent observations and results. The similarity between this number and the *Madelung* constant a_{2D} of a 2D rocksalt-type lattice, composed of matter and antimatter with gravitational charges of opposite sign, would yield the ratio of the repulsive contribution to the attractive one to be $1 + \alpha \approx 1 + \phi^{-1} = \phi^{-2}$, similar to the mass ratio of dark energy and matter. This actually delivers arguments for the lattice universe theory of Villata [9] and also for Hajdukovic's theory of the gravitational polarization of the quantum vacuum [10] respectively, the anti-screening approach of *Penner* [22]. Once more one should notice the intimate relation of the golden mean φ with the Archimedes' constant π . Competing results for the mass constituents of the "universe" as discussed in this work may push forwards our view of the world with features supporting the concept of universes intimately penetrating each other. As anticipated by others, no Big Bang [40] or initial singularity [41] in the remote past is needed. The infinite extension of this system with a still immeasurable number of objects justifies once more the profitable application of number theory respectively set theory. In this sense, the found φ^{-2} -dependence of the cosmological mass fractions supports the "set-theoretical" interpretation given by El Naschie [31].

References

- [1] Otto, H.H. and Ellner, M. (1987) Zeitschrift für Kristallographie 178, 178-179.
- Otto, H.H. (2015) World Journal of Condensed Matter Physics, 5, 66-77. https://doi.org/10.4236/wjcmp.2015.52010
- [3] Otto, H.H. (2015) *World Journal of Condensed Matter Physics*, **5**, 160-178. https://doi.org/10.4236/wjcmp.2015.53018
- [4] Otto, H.H. (2016) World Journal of Condensed Matter Physics, 6, 244-260. https://doi.org/10.4236/wjcmp.2016.63023
- [5] El Naschie, M.S. (2004) Chaos, Solitons and Fractals, 19, 209-236. https://doi.org/10.1016/S0960-0779(03)00278-9
- [6] El Naschie, M.S. (2009) Chaos, Solitons and Fractals, 41, 2635-2646. https://doi.org/10.1016/j.chaos.2008.09.059
- [7] El Naschie, M.S. (2014) *Natural Sciences*, 6, 1259-1265. https://doi.org/10.4236/ns.2014.616115
- [8] Finch, S.R. (2003) Mathematical Constants. Cambridge University Press, New York, p. 76. https://doi.org/10.1017/CBO9780511550447
- [9] Villata, M. (2013) Astrophysics and Space Science, 345, 1-10. https://doi.org/10.1007/s10509-013-1388-3
- [10] Hajdukovic, D.S. (2011) Astrophysics and Space Science, 334, 215-218. https://doi.org/10.1007/s10509-011-0744-4
- [11] Madelung, E. (1918) Physikalische Zeitschrift, 19, 524-533.
- [12] Smith, A.P. (1990) Physical Review B, 42, 1189-1199. https://doi.org/10.1103/PhysRevB.42.1189

- [13] Ade, P.A.R., et al. (2014) Planck 2013. I. Overview of Products and Scientific Results, arXiv:1303.5062v2
- [14] Wilkinson Microwave Anisotropy Probe 9-Year Results Released (2017) NASA Home Page.
- [15] El Naschie, M.S. (2015) American Journal of Nano Research and Application, 3,
- [16] Sommerfeld, A. (1919) Atombau und Spektrallinien. Friedrich Vieweg & Sohn, Braunschweig.
- [17] Aoyama, T., Hayakawa, M., Kinoshita, T. and Nio, M. (2012) *Physical Review Letters*, 109, Article ID: 111807. https://doi.org/10.1103/PhysRevLett.109.111807
- [18] Hénon, M. (1976) Communications in Mathematical Physics, 50, 69-77. https://doi.org/10.1007/BF01608556
- [19] Hellmann, R.H.G. (1980) Self-Generated Chaotic Behavior in Nonlinear Mechanics. In: Fundamental Problems in Statistical Mechanics, 5th Edition, E.G.D. Cohen, North-Holland Publishing Company, Amsterdam.
- [20] Otto, H.H. (2017) Nonlinear Science Letters A, 8, 410-413.
- [21] El Naschie, M.S. (2016) *International Journal of Astronomy and Astrophysics*, **6**, 56-81. https://doi.org/10.4236/ijaa.2016.61005
- [22] Penner, A.R. (2016) Astrophysics and Space Science, 361, 1-5.
- [23] Sherbon, M.A. (2014) International Journal of Physical Research, 2, 1-9.
- [24] Wolff, M. (1995) Galilean Electrodynamics, 6, 83-91.
- [25] Cantor, G. (1932) Gesammelte Abhandlungen mathematischen und philosophischen Inhalts. Springer, Berlin.
- [26] He, J.H. (2010) International Journal of Nonlinear Science and Numerical Simulations, 11, 1093-1095. https://doi.org/10.1515/IJNSNS.2010.11.12.1093
- [27] Marek-Crnjac, L. (2011) Physics Research International, 2011, Article ID: 874302. https://doi.org/10.1155/2011/874302
- [28] Hausdorff, F. (1918) Mathematische Annalen, 79, 157-179. https://doi.org/10.1007/BF01457179
- [29] Urysohn, P. (1922) Compes Rendus, 175, 440-442.
- [30] Menger, K. (1928) Dimensionstheorie. Verlag Leipzig und Berlin. https://doi.org/10.1007/978-3-663-16056-4
- [31] El Naschie, M.S. (2017) *Advances in Material Physics and Chemistry*, **7**, 347-352. https://doi.org/10.4236/ampc.2017.79027
- [32] Dixon, R. (1991) The Story of Pi (π) . Mathographics 4.3, Dover, New York, 44-49 and 96-101.
- [33] Schwinger, J. (1948) Physical Review, 73, 416-417. https://doi.org/10.1103/PhysRev.73.416
- [34] Otto, H.H. (2017) Nonlinear Science Letters A, 8, 413-415.
- [35] NIST (2017) The NIST Reference on Constants, Units, and Uncertainty. Gaithersburg.
- [36] Marek-Crnjac, L. (2012) Quantum Gravity in Cantorian Space-Time. In: Sobreiro, R., Ed., *Quantum Gravity*, InTech, 87-100. https://doi.org/10.5772/37232
- [37] Rosencwaig, A. (2006) A Casimir Approach for Radiative Self-Energy. 1-7. arXiv: hep-th/0606217v1
- [38] McGaugh, S.S., Schombert, J.M., Bothun, G.D. and de Blok, W.J.G. (2000) Astro-

- physical Journal Letters, 533, L99-L102. https://doi.org/10.1086/312628
- [39] Bonvin, V., et al. (2017) H0LiCOW V. New COSMOGRAIL Time Delays of HE0435-1223: H_0 to 3.8% Precision from Strong Lensing in a Flat Λ CDM Model. 1-19. arXiv:1607.01790v2 [astro-ph.CO]
- [40] Bounias, M. and Krasnoholovets, V. (2005) The Universe from Nothing: A Mathematical Lattice of Empty Sets. 1-23. arXiv: physics/0309102v2 [physics.gen-ph]
- [41] Hajdukovic, D.S. (2014) *Physics of the Dark Universe*, **3**, 34-43. https://doi.org/10.1016/j.dark.2014.03.002

Appendix

Continued Fraction Representation of the Golden Mean φ , the Fractal *Kaluza-Klein* Dimension D_{KK} , the Approximated Circle Number π , the True Circle Number π , and the *Euler* Number e, respectively.

$$\varphi = \frac{\sqrt{5} - 1}{2} = \frac{1}{1 + \frac{1}{1 + \frac{1}{1 + \dots}}} = 0.618033989 \dots$$

$$D_{KK} = 5 + \frac{1}{4 + \frac{1}{4 + \frac{1}{4 + \dots}}} = 5 + 0.236067977 \dots$$

$$\pi \approx 3 + \frac{3}{5} \cdot \frac{1}{4 + \frac{1}{4 + \frac{1}{4 + \dots}}} = 3 + 0.1416407 \dots \text{ (approximation of } \pi\text{)}$$

$$\pi = 3 + \frac{1^2}{6 + \frac{3^2}{6 + \frac{5^2}{6 + \dots}}} = 3 + 0.1415926 \dots \text{ (true circle constant)}$$

$$e = 2 + \frac{1}{1 + \frac{1}{2 + \frac{2}{3 + \frac{3}{4 + \frac{4}{5 + \frac{5}{6 + \dots}}}}}} = 2.7182818284 \dots \text{ (Euler's number)}$$