

TABLE OF CONTENTS**Volume 3, Number 8, November 2013****Acute myocardial infarction with normal coronary artery (MINCA) in a patient with multiple sclerosis**

- M. Celik, M. A. Akil, M. Tuncer.....483

Long-term clinical efficacy of ostial stenting to the left anterior descending artery with deep caudal projection

- K. Sadamatsu, Y. Yoshidomi, K. Yoshida.....487

Left atrial voltage remodeling after pulmonary venous isolation with multipolar radiofrequency ablation

- F. Laurenzi, P. De Girolamo, A. Pappalardo, A. Avella.....493

Hyperhomocysteinaemia as a risk factor for coronary heart diseases in chronic hepatitis C patients

- A. R. Kazmi, A. Hanif, M. Ismail, J. Qazi.....499

Chronic hepatitis B liver disease in patients living in the Amazon region: S gene mutations and genotypes characterization

- D. Vieira, M. Gauthier, L. D. de F. Nicolete, A. O. dos Santos, C. Picelli, E. Honda, G. Paranhos-Baccalà, G. Vernet, J. M. V. Salcedo.....506

Carrier rate of hepatitis B surface antigen (HBsAg) among urban pregnant women in a secondary health facility in Maiduguri, Northeastern Nigeria

- D. N. Bukbuk, M. B. Samaila, A. D. Ballah, I. M. Kida, C. Iwuoha.....512

Hepatitis E is more common than hepatitis A among returning travellers presenting to tertiary care

- C. Cosgrove, M. Armstrong, M. Kidd, M. Brown, T. Doherty.....519

The figure on the front cover is from the article published in World Journal of Cardiovascular Diseases, 2013, Vol. 3, No. 8, pp. 493-498 by Francesco Laurenzi, Piergiuseppe De Girolamo, Augusto Pappalardo and Andrea Avella.