

X-Pro Milestone: Comparative Evaluation against Similar Software Tools, Current Status, and Planned Future Directions

Suliemani Bani-Ahmad

Computer Information Systems Department, School of Information Technology, Al-Balqa Applied University, Salt, Jordan
Email: suliemani@bau.edu.jo

How to cite this paper: Bani-Ahmad, S. (2017). X-Pro Milestone: Comparative Evaluation against Similar Software Tools, Current Status, and Planned Future Directions. *Creative Education*, 8, 627-649. <https://doi.org/10.4236/ce.2017.84048>

Received: January 9, 2017

Accepted: April 23, 2017

Published: April 28, 2017

Copyright © 2017 by author and Scientific Research Publishing Inc. This work is licensed under the Creative Commons Attribution International License (CC BY 4.0).

<http://creativecommons.org/licenses/by/4.0/>



Open Access

Abstract

Computerized and partially computerized exams rely on item banks from which items are selected to produce tests; however, studies show that the availability of item banks is rather limited because the development of an item bank can involve investing a great amount of time and effort. X-Pro Milestone is a portable, personalized, featured, and syllabus-specific item-bank software tool that is capable of helping users maintain high-quality item-banks and producing printer-friendly multi-form exam instances along with proper answer keys for each exam-form. Motivated by the acceptance the earlier versions of this software tool, it is thoroughly re-engineered and re-implemented based on a comprehensive set of requirements that are responsive to user needs. In this paper, the latest release of this software is presented and the latest improvements are explained. We also cover the special Descriptive Markup Language (DML) used in constructing item banks. Further, the software is comparatively evaluated against a set of similar software tools available in the market based on a set of more than twenty features. We demonstrate that X-Pro Milestone is superior to other software tools based on a wide spectrum of features and functionalities that are not available in other software tools. We also cover the current status of this software tool and draw its future planned directions.

Keywords

The X-Pro Project, X-Pro Milestone, Computerized Tests, Item Banking, Software Design, Syllabus-Specific Item Banks, Partially Computerized Exams

1. Introduction

Studies show that computerized (and even partially computerized) exams rely on

the availability of high-quality item banks. Those item banks serve as repositories from which we select items to be applied to tests (Molina, Pareja, & Sanmartín, 2008). However, further studies also show that the availability of item banks is rather limited because the development of a high-quality item bank can involve investing a great amount of time and effort. Therefore, we vitally need handy computer software tools that facilitate instantiation and maintenance of high-quality item banks.

It is well-known that, in the education sector, class-size is continuously growing higher every day (Ministry of Higher Education, 2010; Bani-Ahmad & Audeh, 2010a). Taking the country of Jordan as an example, **Figure 1(a)** depicts the change in student numbers along with the growth in the number of instructors between academic years 1999/2000 and 2009/2010 in Jordanian private and public universities (Bani-Ahmad & Audeh, 2010a). The figure indicates that student numbers grows very fast compared to instructor number. As indicated in (Bani-Ahmad & Audeh, 2010a), student-per-ratio in some Jordanian countries is more than sixty. This growth is not usually supported by an equivalent and proper growth of educational resources and technology infrastructure (Bani-Ahmad, 2015; Bani-Ahmad & Audeh, 2010b). This observation is truer for developing countries probably due to the general phenomenon of digital divide (Chinn & Fairlie, 2004).

A digital divide is defined as the economic and social inequality with regard to 1) access to, 2) use of, or 3) impact of information and communication technologies (ICT) (Chinn & Fairlie, 2004; International Telecommunication Union (ITU), 2015). Studies indicate that there is, as indicated in **Figure 1(b)**, a significant and dramatic digital divide between developed countries (e.g. US and most of Europe) and the third world (e.g. Middle East countries) in terms of availability of technological devices (namely; computers) and access to the Internet (Chinn & Fairlie, 2004; International Telecommunication Union (ITU), 2015). This phenomenon makes the usage of online exams be prohibitively impossible especially in developing countries where efficient and effective ICT-related infrastructure is not available and not affordable.

According to (Jenkins, 2017), "Class size is really irrelevant in this day and age in education. It's not about how many children you have in the classroom. It's about how you're leveraging technology to deliver one-on-one instruction". This draws the link that relates the digital-divide phenomena to the problem addressed in (Jenkins, 2017). In fact, the digital divide phenomenon makes the usage of fully computerized (*i.e.* online) examination tools (that allows students to set for tests and exams using a computer, usually networked) prohibitively impossible with the absence of proper information technology infrastructure (Ministry of Higher Education, 2010; Maharey, 2011).

According to (Ehrenberg et al., 2001), some of the disadvantages of large class size are: 1) it can increase the disruptive behavior in classrooms; and reduce the amount of time the instructor spend working with each individual student; 2) it can reduce the material the teacher can cover and can eliminate many methods

of assessing students due to difficulty of grading; and, therefore, it can reduce the quality of teaching methods that the teacher can employ in his/her classroom.

Proper use of an item bank and of good item banking software tool significantly reduces the effort and expense of preparing new items for each exam. This is true whether the exam is used by a teacher of a relatively small class; a university lecturer who has large sections; or even the director of multifaceted programs for certification, licensing, accountability, or norm-referenced survey testing (Ward & Murray-Ward, 1994). Serving this purpose, this article is about X-Pro Milestone; an item-bank software tool that saves many work hours that the instructor can spend improving his/her teaching skills. This software facilitates producing pre-formatted printable exams. In this paper,

1) The latest release of this software is presented and the latest improvements are explained. We also cover the special Descriptive Markup Language (DML) used in constructing item banks; termed XDML.

2) The software is comparatively evaluated against a set of similar software tools available in the market. This comparison is based on a set of features. We demonstrate that X-Pro Milestone outperforms other software based on a wide spectrum of features and functionalities that are not available in other off-the-shelf software tools. We also show that the availability of such sound item banking software could help to extend the application of item-bank-based exams beyond the boundaries of large-scale expensive testing programs.

3) We also cover the current status of this software tool and draw the future planned short-term and long-term future directions of the X-Pro Project.


2. Course Item-Bank Hierarchical Structure in X-Pro Milestone

A typical X-Pro syllabus-specific item bank contains a set of test items (questions). Those items are of four possible types: multiple-choice (MC), true-false (TF), short-answer (SA), and free-response (FR) questions. Those question types are also organized in a hierarchical structure as shown in **Figure 2**. As illustrated in the figure, each test item belongs to a question pool where, in turn, belongs to a section.


Each question pool includes a set of test-items covering a specific topic or tackling a specific course objective. It is assumed that the instructor, when preparing his/her course item bank for a given course, he or she subdivides the syllabus into a set of well-defined course objectives or fine topics. Sections in **Figure 2** represents book chapters. Book here refers to the textbook used in the current course bank.

To produce exam instances based on item banks, items are randomly pulled from the item bank and are later assigned to exam forms for publication (either as a paper-based exam or some form of e-assessment or online exams).

To tackle the problem of performance interference (or cheating), the user is recommended to produce many-enough exam forms. Those forms are generated



(a)



(b)

Figure 1. (a) Student and instructor numbers in Jordanian Universities (years 1999-2010) (Bani-Ahmad, 2017), (b) the digital divide phenomenon: Internet users per 100 inhabitants (Willits, 1992).




Figure 2. The hierarchical structure of a typical X-Pro Milestone syllabus-specific item bank.

by randomly permuting 1) choice-list items (for multiple-choice questions), 2) test items, or 3) both. The randomization should produce uniformly distributed correct-choices over the set of possible positions within choice-lists to reduce the negative effect of randomly responding to multiple-choice question. In X-Pro

Milestone, the user has the option to have different set of test-items per produced exam-form. The set of question pools from which test items are selected are exactly identical for all exam-forms.

Each produced exam-form is accompanied by its specific answer-key. The list of choices is to be properly permuted such that the probability of observing the correct answer at one position within the list of choices is equal to the probability of observing it at any other position (the computer uniform random number generator is to be used for that purpose). The goal of this requirement is to minimize the chance that an examiner receives high score solely by clustering his or her answers at one given position, not because of his/her real achievement.

Notice that one and exactly one test item is selected from each randomly selected question pool is that we would like to have the produced exam properly cover a wide spectrum of the fine topics covered by the course syllabus. We argue that this guarantees that the produced exam effectively covers a relatively wide range of topics.

Notice that a question pool includes questions covering a specific and well-defined course objective or sub-topic. This means that questions belonging to the same question pool are somehow topically very similar and cannot be included in the same exam instance.

Figure 3 shows a screenshot of the main screen of the GUI of X-Pro Milestone. The left set of tab-pages displays the basic functional tab-pages of X-Pro Milestone: one tab page for each type of the four supported types of questions. The “Figures and Attachments” helps the user manage the figures used within the current item bank; this includes: importing, removing, previewing, and adding notes to any figure in the course bank. The function of the “Pre-parse Input” tab-page is to check the item bank for any syntax or structural errors that violate




Figure 3. The English-language GUI interface of X-Pro Milestone.

the DML of the software. The pre-parse step is required before being able to produce exams using the “Produce a New Exam” tab-page. Once a new exam is produced, the user can preview and manage it through the “Preview Exam-Forms” tab-page. All available course item banks can be found in the “List of Existing Question-Banks” tab-page.

3. X-Pro Milestone: User Interface and Descriptive Markup Language

X-Pro Milestone Supports four types of questions as mentioned earlier. Each type of has the same generic hierarchical structure. That is; a number of sections, each section is composed of a number of question pools. Each question pool, in turn, includes one or more test item as shown in **Figure 4** and **Figure 5**. X-Pro Milestone uses special tags to indicate the beginning of sections and question pools and test items. These form the basic tags in the X-Pro Descriptive Markup Language (XDML). The following is a list of the basic X-Pro Milestone tags to indicate sections, pools, and questions.

- The `[[New Section Start]]` starts a new section.
- The `[[Begin Pool]]` tag starts a new pool.
- The `[[Begin Question]]` tag starts a new question.

```

[[New Section Start]]{{ Chapter 1 }}

[[Begin Pool]]{{ Sub-topic A }}

[[Begin Pool]]{{ Sub-topic B }}

[[New Section Start]]{{ Chapter 2 }}

[[Begin Pool]]{{ Sub-topic A }}

[[Begin Pool]]{{ Sub-topic B }}

```

Figure 4. X-Pro Milestone course bank structure.

```

[[Begin Question]] [[#Inline_Choices#]]
The square root of 9 is
[[Begin Choice List]]
3.1
-3 <ca>
6
3 <ca>
None of above <dn>

```

Figure 5. The syntax of a typical multiple-choice question in X-Pro Milestone.

Figure 5 shows a sample multiple-choice question. The `[[Begin Question]]` indicates the beginning of a new multiple-choice question. The `[[Begin Choice List]]` tag indicates that the lines after are the list of choices of that specific question. The set of lines after the `[[Begin Question]]` and before the `[[Begin Choice List]]` tags represent the multiple-choice question stem. This means that the question stem may be composed of multiple lines. However, the `[[Begin Choice List]]` tag is optional. In this case, the question stem is assumed to be composed of one single line; that is the line just after the `[[Begin Question]]` tag. The lines following that line represent the list of choices. Each line in the list of choices represents one choice. A choice may not span multiple lines.

Each multiple-choice question can have up to six choices (the minimum is two). Those choices will be later permuted to produce exam forms. To force one specific choice to remain in-place (will not be permuted), the “do not permute” tag next to that choice is used; that is the `<dn>` tag. This helps the user to have choices like “All above” or “both A and C are correct” choices.

The “`<ca>`” next to a choice indicates that this choice is a correct choice (used later by the application to produce the answer key table). The `<ca>` is referred to as the “correct answer” tag. A multiple-choice question may have one or more correct choices (one is the minimum).

The `[[#Inline_Choices#]]` tag next to the `[[Begin Question]]` tag indicates that the list of choices in the produced exam form will be put in-line (next to each other) as shown in **Figure 6**. If you remove the `[[#Inline_Choices#]]` tag, each choice is placed in a different line.

Figure 7 shows a sample of a few short-answer questions. In general, each short-answer question appears in a single line. Each question is of two parts (see **Figure 7**): 1) the question text, and 2) the correct answer placed between the “[“ and “]” tags (referred to as the short-answer opening and closing tags).

Figure 8 shows a sample of few true-false questions. Similar to short-answer question, each true-false question appears in a single line and consists of two parts (as illustrated in **Figure 8**): 1) the question text, and 2) the correct answer that will be either `[[True]]` or `[[False]]`.

Figure 9 shows a sample Free-Response essay question. Each Free-Response essay question is of two parts: 1) the question text that may span multiple lines

1. Your question goes here.

A. First Choice B. Second Choice C. Third Choice D. Fourth Choice E. Fifth Choice

Figure 6. A sample multiple-choice question with its choice-list displayed inline.

```
[[Begin Pool]]
East or west, home is _____ [[The best]]
Easy come easy _____ [[Go]]
Still water runs _____ [[deep]]
```

Figure 7. A sample short-answer question in X-Pro Milestone.

```
[[Begin Pool]]
Sun light color is composed of multiple colors. [[True]]
Moon light is taken from sun. [[True]]
```

Figure 8. A sample True/False question in X-Pro Milestone.

```
[[Begin Question]]
Name the basic light colors.
[[Begin Answer]]
Red
Gree
Blue
```

Figure 9. A sample Free-Response essay question in X-Pro Milestone.

(appears after the `[[Begin Question]]` and before the `[[Begin answer]]` tags). 2) the correct answer that appears after the `[[Begin Answer]]` tag. Again, the answer may also span multiple lines. Notice that the user can add the number of lines to be left to students in the answer form to place their response to the question. To do so, the user needs to add this number next to `[[Begin Answer]]` tag. If the user does not enter this number, the software automatically computes this space depending on the key answer text length.

4. X-Pro Milestone User Interface

The results of the analysis of the information associated with the development of item banks have shown a well-structured underlying data scheme (Molina, Pareja, & Sanmartín, 2008; Molina, Sanmartín, & Pareja, 1997). Further studies also show that databases and database management systems excel at processing highly structured data. Notice that item banks in X-Pro Milestone are not implemented as a database (Willits, 1992). Experience showed us that expanding X-Pro Milestone features and capabilities requires implementing item banks as a flat text file with proper special tag-based language as illustrated in **Figure 10**.

Through the “Figures and attachments” tab-page the user manipulates the set of figures referred to within the exam questions. A screenshot of this tab-page is shown in **Figure 11**. Notice that each figure file must have a *unique label* of user’s choice. This label will be later used when inserting a given figure inside exam questions. This label can be changed anytime and its references inside the item bank will be automatically updated. This tab page shows information about the selected figure from the list (illustrated in **Figure 11**), e.g., its full filename, file extension (or type), label, notes about this specific figure, and the number of time this figure is referenced inside the item bank four components (computed automatically).

5. Producing Exam Instances Using X-Pro Milestone

Before the user can produce exam instances from his/her course item bank as

shown in **Figure 12**, he/she needs to pre-parse the course item bank to check if the course has any syntax or structural error. Example errors are: finding a multiple choice question with no choice list or only one single choice.

Multiple-Choice Questions | Short-Answer Questions | True-False Questions | Free Response Questions

Figures and Attachments | Extra Notes | Course Information | Pre-Parse Input | Produce a New Exam

Preview Exam-Forms | Application Configuration | List of Existing Question-Banks

```

### This is a comment line
### This is another comment line

[[[New Section Start]]] {{First Exam}}

[[Begin Pool]] Basic Math

[[Begin Question]] [[#Inline_Choices#]]
3+2 is
[[Begin Choice List]]
2
3
5 <ca>
6

[[Begin Pool]] {{Multiplication}}

[[Begin Question]]
3*3 is
[[Begin Choice List]]
2
3
5
9 <ca>

```

Tab Page Explorer

Section Pool

Sample Question

Question Choices

<ca> <dn>

Refresh tree

- S1@L(3): [6] First Exam
- S2@L(97): [3] Second Exam
- S3@L(178): [3] Final Exam

Figure 10. The “multiple-choice questions” tab page.

Refresh list | Browse figures folder | Import Figures | Remove Figure | Center | Stretch | Zoom | Normal

B01 [[B01]] Circle.png
 B02 [[B02]] Cylinder.png
 B03 [[B03]] Octagon.png
 B04 [[B04]] Rectangle.png
 B05 [[B05]] Triangle.png
 B06 [[B06]] Pentagon.png
 B07 [[B07]] Square.png
 __UNIV__LOGO [[__UNIV__LOGO]]
 kmap44 [[kmap44]] K-Maps.txt
A01 [[A01]] Sine Wave.gif
 A02 [[A02]] Sine Wave.png

Preview attachment

$\sin(x)$

About this figure

Label A01 Dimensions 591 x 180

Filename [[A01]] Sine Wave.gif Save

Extension .gif # of references 4, 0, 0, 0

Notes about this figure

Figure 11. The “figures and attachments” tab page.

The screenshot displays the 'Pre-Parse' interface. On the left, under 'Pre-Parse Input', there is a 'Statistics' table:

	MC Qs	SA Qs	TF Qs	FR Qs
# of Sections	3	2	3	2
# of Pools	12	4	18	4
# of Questions	24	5	24	8

On the right, the 'Course Tree' shows a hierarchical structure:

- Multiple-Choice Questions
 - Section #1: First Exam
 - Pool #1: Basic Math
 - Pool #2: Multiplication
 - Question #1{{S#1.P#2: Line #18}}
 - 3*3 is
 - [[Begin Choice List]]
 - 2
 - 3
 - 5
 - 9 <ca>
 - Pool #3: Shapes
 - Pool #4: Basic Math
 - Pool #5: Algebra
 - Pool #6:
 - Section #2: Second Exam
 - Section #3: Final Exam
- Short-Answer Questions
- True-False Questions
- Free-Response Questions

Figure 12. The “Pre-Parse” tab page.

After the user prepares the course item bank with no errors, the “Produce a New Exam” tab page will be enabled and its content will be refreshed. The user can now produce exam instances. This is done in five steps (Figure 13): 1) choose the set of sections to be included and the number of pools to be randomly selected, 2) set exam information; 3) set exam instructions, 4) configure exam signup-sheet settings. The final step is to set the form generator output settings. This includes (examples): 1) the number of forms required, 2) the form ID style, 3) whether the user wants to hide the form ID from in the produced forms, 4) the permutation options, 5) whether the user wants to have the same set of questions in all produced forms or not, notice that regardless of the users’ choice of this option, the final set of questions will be selected from the same set of pools. 6) the multiple-choice answer table and answer-key styles and 7) where to place the answer key of the produced exam form (first page or last page), and 8) the number of extra blank sheets, the font type and size, and the space between MC questions.

Let $S[]$ be the set of sections selected by the current user to produce a new exam instance. Let $S[k]$ be the number of question pools that the user wants to include from section k . Let further $S[k^*]$ be the total number of question pools available in section k . Notice that $S[k^*] \geq S[k]$, meaning that the user can not choose more than the available question pools. Notice that the number of questions to selected from section k will be $S[k]$; exactly one question is to be randomly selected from question pool number k .

The following pseudo code describes how X-Pro Milestone prepares exam instance from a given question bank. $Pk[]$ is the set of question pools randomly selected from section k that has $S[k^*]$ available question pools. Notice that $|Pk[]| = S[k]$. $Q[]$ is the set of questions selected to be included in the new exam instance.

Choose Question Pools | Set Exam Information | Set Exam Instructions | Sign-up forms and lining | Set Output Settings

Multiple-Choice Questions [22] | Short-Answer Questions | True-False Questions | Free-Response Questions

10	Section #1: Numbering systems - 10
	Section #2: Signed numbers - 3
4	Section #3: Operations on numbers - 4
	Section #4: B. Algebra Simplification and function complement - 6
2	Section #5: B. Algebra - Tracing Analysis - 2
	Section #6: SOP and POS representation - 6
6	Section #7: K-Maps - 6
	Section #8: Logic gates - 3
	Section #9: Combinational logic - 2
	Section #10: Combinational logic - Famous circuits - 10

(a)

Choose Question Pools | Set Exam Information | Set Exam Instructions | Sign-up forms and lining | Set Output Settings

Exam-Specific Information

Exam label	Semester	Academic year
Final Exam - Makeup	Second Semester	2016 / 2017
First Exam	First Semester	2016 / 2017
Second Exam	Second Semester	2017 / 2018
Final Exam	Summer Semester	1437 / 1438
First Exam - Makeup	الفصل الأول	1438 / 1439
Second Exam - Makeup	الفصل الثاني	
Final Exam - Makeup	الفصل الصيفي	
Quiz		
الامتحانات الأولى الامتحانات الثانية الامتحانات النهائية الامتحانات الأولى - تعوضى الامتحانات الثانية - تعوضى الامتحانات النهائية - تعوضى امتحان قصير		
الاختبار الأول الاختبار الثاني الاختبار النهائي الاختبار الأول - تعوضى الاختبار الثاني - تعوضى الاختبار النهائي - تعوضى اختبار قصير		
	Exam Place	Exam Day and Date
	-	Tuesday 17, January, 2017
	List of instructors	2017 , كانون الثاني , 08
	Dr. Sulieman Bani-Ahmad	<input type="radio"/> Hijri <input checked="" type="radio"/> Gregorian (English)
		<input type="radio"/> Gregorian (Arabic)
	List of sections	Exam Time (From - to)
	[2] 10:00 - 11:00, Sun/Tue/Thu. Dr. Sulieman Ahmad	11:30 AM - 1:30 PM
		Exam Duration (in Minutes)
		120
		60
		90
		120

(b)

Choose Question Pools | Set Exam Information | Set Exam Instructions | Sign-up forms and lining | Set Output Settings

Choose all what apply to this exam please.

<input checked="" type="checkbox"/> اكتب اسمك على ورقة الامتحان. <input type="checkbox"/> لا يسمح باستخدام الآلات الحاسبة. <input checked="" type="checkbox"/> أجب عن جميع الاسئلة. <input checked="" type="checkbox"/> انقل اجاباتك الى صفحة الاجابة. <input checked="" type="checkbox"/> اطفئ الهاتف الخليوي. <input type="checkbox"/> ضع دائرة حول اسم مدرسك. <input checked="" type="checkbox"/> لا تترك اجابة فارغة من اسئلة الاختبار من متعدد. <input checked="" type="checkbox"/> انقل اجاباتك لجدول الاجابة حين يكون فرارك نهائيا فقط. <input checked="" type="checkbox"/> ضع نجمة (*) داخل المكان الذي يمثل البديل الصحيح لاسئلة الاختبار من متعدد. <input checked="" type="checkbox"/> يمنع الخروج قبل مضي نصف وقت الامتحان. <input checked="" type="checkbox"/> [[MC]]. عدد اسئلة الاختبار من متعدد هو <input type="checkbox"/> [[TF]]. عدد اسئلة الصح والخطأ هو <input type="checkbox"/> [[SA]]. عدد الاسئلة ذات الاجابة القصيرة هو <input type="checkbox"/> [[FR]]. عدد الاسئلة ذات الاجابة المفتوحة هو	<p>اكتب اسمك على ورقة الامتحان. أجب عن جميع الاسئلة. انقل اجاباتك الى صفحة الاجابة. اطفئ الهاتف الخليوي. لا تترك اجابة فارغة من اسئلة الاختبار من متعدد. انقل اجاباتك لجدول الاجابة حين يكون فرارك نهائيا فقط. ضع نجمة (*) داخل المكان الذي يمثل البديل الصحيح لاسئلة الاختبار من متعدد. يمنع الخروج قبل مضي نصف وقت الامتحان. عدد اسئلة الاختبار من متعدد هو 22.</p>
---	---

Display on answer sheet

(c)

(d)

(e)

Figure 13. (a) The “Produce a New Exam” tab page: Step 1: Choosing question pools. (b) The “Produce a New Exam” tab page: Step 2: setting exam-information. The text-boxes with the batman mask can be used to hide the form-id symbol. This help preventing cheating. (c) The “Produce a New Exam” tab page: Step 3: setting exam instructions. (d) The “Produce a New Exam” tab page: Step 4: Setting of exam sign-up sheets. (e) The “Produce a New Exam” tab page: Step 5: Exam instance output settings.

$Q[] = \text{nil};$

For each section k in $S[k]$

- $Pk[] \leftarrow$ Randomly select $S[k]$ Question pools from the available $S[k^*]$ pools
- For each question pool j in $Pk[]$
- $Q^* \leftarrow$ Randomly select one question from pool j
- $Q[].\text{Add}(Q^*)$

After successfully producing the exam, the user can preview the produced exam forms and answer keys (Figure 14 and Figure 15). Through this page, the user can preview, print, save, or even archive produced forms for future referencing.

Having talked about exam archiving, archived exams can be manipulated using the archived-exams manipulation tool shown in **Figure 16**.

6. Extra Features of X-Pro Milestone

6.1. Course Item Bank Manipulation

As shown in **Figure 17**, the user can create and new course-bank folder or open existing item bank (for editing). (iii) backup or archive an already existing item bank folder, and (iv) delete or rename existing item bank folder. The user can also export a tarball of the course folder and import it later into some other machine. Finally, the user can also view the set of archived exams of a specific course item bank.




Figure 14. The “Preview and Export Exam-Forms” tab page.

#	A	B	C	D	E	F	#	A	B	C	D	E	F
1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							

Figure 15. A sample answer key of multiple-choice questions.




Figure 16. The “archived-exams manipulation” tool.




Figure 17. The “item-bank” right-mouse-click menu item.

6.2. Insert a Figure from the Pre-Fed Set of Figures

Figures can be inserted into the text of any item (and even in the choice list of a multiple-choice item). A figure can be an image (e.g., a chart or a diagram) or text file (e.g., computer code). X-Pro Milestone supports three styles of inserting

figures: Inline figure, repeatable appendix figure, and unique appendix figure (Figure 18).

A figure can be inserted inline with text. In this case, the figure content will appear with the question in the produced exam form. In other words, it will not appear at the end of the exam form as an appendix.

Appendix figures are of two forms; repeatable and unique. A figure can be inserted as a repeatable figure at the end of the exam form as an appendix. That is; if the figure is referenced inside n different questions in a given exam-form, then the same figure content will appear n times in the appendix of that exam-form and it will be assigned n different figure IDs. Notice that the figure reference inside the question will be replaced by a proper reference to the figure ID as it appears in the appendix part of the form. e.g., it will be replaced by “Figure 5”, or “figure x ” in general. The sequence or ID number “ x ” here is automatically generated by the software; the user does not have to worry about this issue.

A figure can be inserted as a unique (not repeatable) figure at the end of the exam form as an appendix. That is; if the figure is referenced inside n different questions in a given exam-form, then this figure content will appear only once in the appendix of the exam-form. Again, that the figure reference inside the question text will be replaced by a proper reference ID to the figure as it appears in the appendix part of that exam-form. Again, this ID is automatically generated by the software and the user does not have to worry about this issue.

6.3. Insert Structural, Styling, and Symbol Tags

As shown in Figure 19(a), the user can insert any of the X-Pro Milestone special item-bank structural and styling tags. Example styling tags are: bold, italic, underlined, subscript, superscript. Figure 19(b) shows the user interface tab page through which the user inserts symbol tags, e.g., Math symbols (Π , π), and Greek letters (α , β , μ).




Figure 18. Inserting Figures using X-Pro Milestone.

Examples: Inserting mathematical equation, computer code and simple tables

Figure 20 shows an example on how to insert mathematical equations into a X-Pro Milestone item bank. To the left of this figure, you see a screen-shot of the question as it appears in the exam form. The tag that represents the X-Pro syntax that represents the equation

$$Y = \text{Cos}(\theta)^2 + \text{Sin}(\theta)^2$$




Figure 19. (a) Inserting X-Pro and styling tags, (b) inserting symbols and special characters.

<p>Given that $\theta=45$, compute</p> <p>$Y=\text{Cos}(\theta)^2+\text{Sin}(\theta)^2$</p> <p>A. 1 B. 0.5 C. 0.45 D. 1.5</p>	<pre> [[Begin Pool]]{{ Symbols and equations }} [[Begin Question]] Given that [theta]=45, compute Y=Cos([theta]) [sup]2[/sup]+Sin([theta]) [sup]2[/sup] [[Begin Choice List]] 1 <ca> 0.45 0.5 1.5 </pre>
---	--

Figure 20. Example on how to insert a mathematical equation into a X-Pro Milestone item bank.

Is the following:

$$Y = \text{Cos}([\theta])^{2} + \text{Sin}([\theta])^{2}$$

Here we use the superscript [^{@sup}], [^{/@sup}] tags and the theta symbol tag [θ]. Notice that [Θ] is different than [θ].the first is the uppercase form of the letter theta.

If the user wants to insert computer code within the item bank question text, then the user needs to surround his/her lines of code with the styling tags [`@code`] and [`/@code`] as shown in **Figure 21**.

X-Pro Milestone supports different styles for numbing and bulleting (as shown in **Figure 22**). It also allows the user to insert simple tables (**Figure 23**). If the user wants to insert a simple table within the item bank question text, then the user needs to surround his/her lines that represent the table rows (each line represents a table row) with the styling tags [`xtable`] and [`/xtable`].

```

Find the output of the following computer code
int sum=0;
for (int i=0; i<10; i++)
    sum+=i;
Console.WriteLine(sum);

A. 35
B. 55
C. 45
D. None of above

[[Begin Pool]]{{ Computer code }}
[[Begin Question]]
Find the output of the following computer code
[@code]
int sum=0;
for (int i=0; i<10; i++)
    sum+=i;
Console.WriteLine(sum);
[/@code]
[[Begin Choice List]]
35
45 <ca>
55
None of above <dn>

```

Figure 21. Inserting computer code in X-Pro question stems.

```

[[Begin Pool]]{{ Symbols and equations }}
[[Begin Question]]
Which of the following statements
is [u] correct [/u]
[olI]
2+3=4
5-2=3
7+3=10
5+5=11
5+6=11
3X=33, [rArr] x=10
[/olI]
[[Begin Choice List]]
II, III and V <ca>
II and IV
IV and V
III
I and I

which of the following statements is correct :
I. 2+3=4
II. 5-2=3
III. 7+3=10
IV. 5+5=11
V. 5+6=11
VI. 3X=33, ⇒ x=10
<<<
A. II, III and V
B. II and IV
C. IV and V
D. III
E. I and I

```

Figure 22. Bulleting and numbering.

```

[[Begin Question]]
Find the average and the sum of the third column
in the following table:

[xtable]
X   Y   Z
23  4   8
-5  7   8
9   -7  4
5   -5  -8
[/xtable]

[[Begin Answer]] 5
The average is 3, The sum is 12.

Find the average and the sum of the third column
in the following table:

```

X	Y	Z
23	4	8
-5	7	8
9	-7	4
5	-5	-8

Figure 23. Bulleting and numbering.

6.4. Item Backward Reachability

If the user finds some typos or mistakes in any of the questions of the produced exam instance, then he/she can locate back and directly navigate to the erroneous question within the item bank. This is achieved by clicking the “<<<” mark that is located just after question text in the web browser or in the “Preview and Export Exam-Forms” tab page (Figure 24). This will take the user directly to the location of that question in the course item bank.

As indicated in Figure 24 also, the correct answer to the multiple-choice question is displayed in red color (in preview-mode only, when the exam-form is printed out, all the choices will look and feel similar). This feature is needed if the user would like to double-check the correctness of the question.

6.5. Extra Tools: Score Transformation and Archived Exams Tools

X-Pro Milestone is also equipped with a simple score transformation tool as shown in Figure 25. A linear score transformation is a transformation of the form (Stockburger, 2017).

$$X' = a + bX$$

where

- X' is the new transformed score (the “new scores” column in Figure 25)
- “a” and “b” are the transformation parameters
- X is the raw (original) score (the “row scores” column in Figure 25)

Notice that if a measurement system approximated an interval scale before the linear transformation, it will approximate it to the same degree after the linear transformation. Other properties of the distribution, however, are unaffected. For example, if a distribution was positively skewed before the transformation, it will be positively skewed after (Stockburger, 2017). Next is the user interface of the score transformation tool.

4. What is the complement of the following boolean function $H(x, y, z) = x + y'z$:
- <<< A. $x.y+z'$ B. $x.(y+z')$ C. $x.(y+z)'$ D. $y.x+z'$
5. Simplifying the function $f(a, b, c, d) = \Pi(0, 1, 2, 3, 10, 11)$ gives:
- <<< A. $(a+b).(b+c')$
 B. $(a+b)'.(b+c')$
 C. $(a+b).(b'+c')$
 D. $(a'+b').(b'+c)$
 E. $(a+b).(b+c)$
6. Simplifying the function $f(a, b, c, d) = \Sigma(0, 1, 4, 5, 8, 9)$ gives:
- <<< A. $a'c'.b'c'$
 B. $a'c'+bc'$
 C. $a'+c'+b'+c'$
 D. $a'c'+b'c'$
 E. $a'c'+b'c$

Figure 24. Tracking back questions in X-Pro Milestone by clicking on the “<<<” mark.




Figure 25. The linear score transformation tool of X-Pro Milestone.

Archived exams can also be manipulated using the archived-exams manipulation tool shown in Figure 16. Through this tool, archived exam forms can be viewed, printed, copied, and deleted.

7. Comparing X-Pro to Similar software

Softonic.com is a software discovery portal founded in 1997 (based in Barcelona, Catalonia, Spain) (Softonic.com, 2017). Softonic.com reaches over 100 million users per month and at its height of popularity, delivered more than 6 million downloads per day (Softonic.com, 2017). We search Softonic.com for the following keywords “question bank software” (<http://en.softonic.com/s/question-bank-software>). This search gave back 9 hits all listed in Table 1 (software tools for Windows environment).

Next, we compare X-Pro Milestone to the most mature of which. The comparison is made based on a set of criteria groups; these are:

Group 1: Software user interface

1) **User friendliness:** the UI of the software need to be simple and intuitive. This helps the learning curve of the software to be fast.

2) **Flat GUI design:** Flat GUI interfaces helps the user make maximum use of the features of the software tool. The design needs to be logical and intuitive.

3) **GUI language:** For the tool to be responsive to the user needs, the GUI languages need to cover the possible languages of the users.

Group 2: Item content, Item entry and storage

1) **Flat Question-Bank (QB) design:** The structure of a typical item bank need to be hierarchical and intuitive. It also needs to be based on the structure of the text-book (of the course) and/or the course syllabus itself.

2) **Database (DB) based:** It is preferred that item-banks be kept in flat files and not as database file for simplicity and portability.

Table 1. IB software tools for Windows environment

Software	Link
Test Generator	http://test-generator.en.softonic.com/ http://techiior.com/TestGenerator.html
PrimeExam	http://primeexam.en.softonic.com/ http://www.primeexam.com/index.php
Igneon Test Maker	https://igneon-test-maker.en.softonic.com/
iSpring QuizMaker 5	http://ispring-quizmaker-5.en.softonic.com/

3) **Portable item bank:** item-banks need to be portable; the software needs to provide proper import and export easy-to-use commands.

4) **Multi-language support:** Exams can be in any language, for that, the software tool must use Unicode character set.

5) **Attachments and figures format:** printable exams may contain shapes and figure. For that, the software tool should allow entering image-based and text-based figures. Each figure is usually accompanied by important metadata; the software tool should provide simple and intuitive mechanisms for manipulating shapes and figures.

6) **Attachments and figures management:** The software tool needs to provide featured management menu.

7) **Figure insertion location:** the software should allow inserting figure within the question stem (inline figure) or within an appendix at the last page of the exam.

Group 3: Item retrieval for reviewing items, formatting test forms

1) **Question selection (to produce exams):** Question selection need to be automatic. Further, selected question sets should produce comprehensive exams that perfectly cover the course syllabus.

2) **Media:** be it online (for online exams) or print (for paper-based exams).

3) **Informative, rich exam form header:** This indicates is the exam header is rich and informative or simple and very basic. Rich exam headers are preferred (without increasing the user-friendliness of the software interface).

4) **Printable answer key:** The answer-key of produced exams need also to be printable. This is important when sufficient IT infrastructure is not available.

5) **Widow and orphan questions:** In print media, no question should split into two pages when printing.

6) **Archiving produced exams:** The software tool should provide extra tool(s) for archiving produced exam and for manipulating previously archived exams.

7) **Provision of special permutation option:** in multiple-choice questions, some option should be permuted, e.g.; “all above” and “none of above”. The software tool must provide a mechanism to control permutation options.

8) **Space control options:** the software tool needs to provide mechanisms to control space in exam forms. E.g.; space between questions, space left for the answer in free-response questions, provision of blank sheets, and allowing the user to place the choices in multiple-choice questions to be rendered inline or not (all choices in one single line).

Table 2. Comparative evaluation between X-Pro Milestone and similar software tools.

	Test Generator	PrimeExam	Igneon Test Maker	iSpring QuizMaker	X-Pro Milestone
User friendliness	hard	hard	Simple	No	Yes
Flat GUI design	Yes, but complicated	No, complicated	No, complicated	No, complicated	Yes, logical and intuitive
GUI language	English	English	English	English	Bilingual, Arabic and English
Flat QB design	No	No	N/A; No direct question bank support, only categorization of individual Q's	No	Yes, hierarchical intuitive structure. Based on the structure of the text-book and the course syllabus.
DB based	Yes	No, Special file format	Special file format	Special file format	No, open source file format technology: RTF and HTML. No databases is used (for simplicity, expandability, and portability)
Portable item bank	Yes	No	No	No	Yes, with simple import and export commands
Multi-language support	Yes (Unicode)	Yes (Unicode)	Yes (Unicode)	Yes (Unicode)	Yes (Unicode) with special support for courses in Arabic
Attachments and figures format	Images	Images	Images	Images	Images, Text, HTML, computer codes. With important metadata on each figure
Attachments and figures management	No	No	No	No	Yes, featured management menu
Figure insertion location	Inline only	Inline only	Inline only	Inline only	Inline, repeatable appendix or unique appendix.
Question selection	manual	Random	Random	Random	Automatic, controlled random, producing comprehensive exams that perfectly covers the course syllabus
Media	Online, print	Online, print	Online	Online	Print
Informative, rich exam form header	No, very basic information	No, very basic information	No	No	Yes
Printable answer key	No	No	No	No	Yes
Widow and orphan questions	Items may split	Items may split	Items may split	Items may split	Items may not split
Archiving produced exams	No	No	No	No	Yes, with special management tool
Provision of special permutation option	No	No	No	No	Yes, the user may choose what to permute. In multiple-choice questions, the "do not permute" can be used to control permutation (disable and enable).
Space control options	No	No	No	No	Yes; the user can set 1) the space between questions, 2) the space left for answer in free-response questions, 3) number of blank sheets to add to the exam, 4) the choices in multiple-choice questions to be rendered inline or not (all choices in one single line).
Performance interference	Yes	Yes	Yes	Yes	Yes, permutation of questions and choices and hiding exam form ID
Item backward reachability	No	No	No	No	Yes
Score transformation tool	No	No	No	No	Yes, linear score transformation
Producing sign-up sheets	No	No	No	No	Yes, with/without student names
Protection of item banks	Yes	Yes	Yes	Yes	Yes, even at the level of single item

9) **Performance interference prevention mechanisms:** the software tool needs to provide mechanisms to prevent cheating in exams. Some are: permuting questions and/or choices and hiding form ID.

Group 4: Maintenance of item history, editing, and updating items

1) **Item backward reachability:** If the user finds some typos or mistakes in any of the questions of the produced exams, the software should help to locate and directly navigating back to the erroneous question within the item bank.

Group 5: Extra tools and features

1) **Score transformation tool:** One important extra tool to provide is the linear transformation tool.

2) **Producing sign-up sheets:** The software tool should be capable of producing sign-up sheets for each produced exam. Preferably, student names can be pre-feed to these sign-up sheets already.

3) **Protection of item banks:** the software needs to provide mechanisms to protect the content of item banks.

In **Table 2** we start comparatively evaluate the five tools based on the set of criteria listed above. We should notice that X-Pro Milestone out-performs all other software tools based on each and every criterion.

8. Conclusion and Future Directions

Use of item bank can provide much relief for the chores related preparing exams (be them online or paper-based). Use of item banks may also enhance the quality of the items as well as the quality of the exams overall. Item banking software tools provide for item entry, storage, maintenance and retrieval and exam creation. In this article, we presented latest advances in the X-Pro Project. We also presented the recently added features to the latest release of the X-Pro Milestone; which is a syllabus-specific item-bank system that can produce paper-based exam forms and answer keys.

We also comparatively evaluated X-Pro Milestone against a set of similar software tools reachable and downloadable over the web. The software is comparatively evaluated against the set of similar software tools against a set of more than twenty features. We demonstrated that X-Pro Milestone outperforms other software based on a wide spectrum of features and functionalities that are not available in other software tools.

The next step of this project, focus on improving the improving usability feature of X-Pro Milestone. We also plan to allow the user to indicate the difficulty level of each question in his/her item bank. This should help the user produce exam instances with different levels of difficulty. The X-Pro Project website URL is <http://sulieman.net/xpro>. A trial version of the software can be downloaded through the link <http://sulieman.net/xpro/get>.

Acknowledgements

We would like to sincerely thank the current users of X-Pro Milestone for their feedback and constructive comments. Special thanks to the users at the Univer-

sity of Tabuk-Saudi Arabia for their positive messages.

References

- Bani-Ahmad, S. (2015). Toward Developing a Syllabus-Oriented Computer-Based Question-Banks Software to Support Partially Computerized Exams. *Journal of Software Engineering and Applications*, 8, 252-268.
- Bani-Ahmad, S. (2017). *The X-Pro Project*.
<https://sites.google.com/site/theexprosite/>
- Bani-Ahmad, S. and Audeh, A., (2010b). Re-Engineering of Multiple-Choice Exam-Form Production Tools: Cost-Effective and Quality-Assurance Approach. *Journal of Software Engineering*, 4, 288-296. <https://doi.org/10.3923/jse.2010.288.296>
- Bani-Ahmad, S., & Audeh, A. (2010a) Re-Engineering of Multiple-Choice Exam-Form Production Tools: Cost-Effective and Quality-Assurance Approach. *Proceedings of the International Conference on Education and Information Technology (ICEIT 2010)*, Chongqing, 17-19 September 2010.
- Chinn, M. D., & Fairlie, R. W. (2004). *The Determinants of the Global Digital Divide: A Cross-Country Analysis of Computer and Internet Penetration*. New Haven, CT: Yale University, Economic Growth Center.
http://www.econ.yale.edu/growth_pdf/cdp881.pdf
- Ehrenberg, R. G., Brewer, D. J., Gamoran, A., & Willms, J. D. (2001). Class Size and Student Achievement. *Psychological Science in the Public Interest*, 2, 1-30.
https://www.psychologicalscience.org/journals/pspi/pdf/pspi2_1.pdf?origin=p
<https://doi.org/10.1111/1529-1006.003>
- International Telecommunication Union (ITU) (2015). *Internet Users per 100 Inhabitants 1997 to 2007*. ICT Data and Statistics (IDS), International Telecommunication Union (ITU).
- Jenkins, J. (2017). *Class Size: How Does It Affect Learning?* Edutopia.
<https://www.edutopia.org/discussion/class-size-how-does-it-affect-learning>
- Maharey, S. (2011). *Higher Education: Challenges for Developing Countries*. Commonwealth Education Partnerships 2011/2012.
<http://www.cedol.org/wp-content/uploads/2012/02/Steve-Maharey-article.pdf>
- Ministry of Higher Education (2010). *Jordan MOHE Statistics*. Retrieved January 2010 from The Ministry of Higher Education and Scientific Research.
<http://www.mohe.gov.jo/en/Pages/default.aspx>
- Molina, G., Pareja, I., & Sanmartín, J. (2008). Modelling Item Banking: Analysis and Design of a Computerized System. *Electrónica de Metodología Aplicada*, 13, 1-14.
- Molina, J. G., Sanmartín, J., & Pareja, I. (1997). Item Banks Information Storage and Management: Analysis of a Computer System. *Paper presented at the 10th European Meeting of the Psychometric Society*, Santiago de Compostela, Spain.
- Softonic.com (2017). Wikipedia. <https://en.wikipedia.org/wiki/Softonic.com>
- Stockburger, D. W. (2017). *Introductory Statistics: Concepts, Models, and Applications*.
<http://www.psychstat.missouristate.edu/introbook/sbk15.htm>
- Ward, A. W., & Murray-Ward, M. (1994). An NCME Instructional Module: Guidelines for the Development of Item Banks. *Educational Measurement: Issues and Practice*, 13, 34-39. <https://doi.org/10.1111/j.1745-3992.1994.tb00785.x>
- Willits, J. (1992). *Database Design and Construction*. London: Library Association Publishing.



Submit or recommend next manuscript to SCIRP and we will provide best service for you:

Accepting pre-submission inquiries through Email, Facebook, LinkedIn, Twitter, etc.

A wide selection of journals (inclusive of 9 subjects, more than 200 journals)

Providing 24-hour high-quality service

User-friendly online submission system

Fair and swift peer-review system

Efficient typesetting and proofreading procedure

Display of the result of downloads and visits, as well as the number of cited articles

Maximum dissemination of your research work

Submit your manuscript at: <http://papersubmission.scirp.org/>

Or contact ce@scirp.org