

Table of Contents

Volume 3 Number 2

May 2014

Wave Reflection at the Boundary Layer and Initial Factors of Atherosclerosis

G. Beraia, M. Beraia.....71

Predicting Delivery Error Using a DICOM-RT Plan for Volumetric Modulated Arc Therapy

H. Miura, M. Tanooka, M. Fujiwara, Y. Takada, H. Doi, S. Odawara, K. Kosaka,
N. Kamikonya, S. Hirota.....82

The Effect of Treatment Position on Rectal and Bladder Dose-Volume Histograms for Prostate Radiotherapy Planned with 3-Dimensional Conformal Radiotherapy, Intensity-Modulated Radiotherapy and Volumetric Modulated Arc Therapy

K. Terashima, K. Nakamura, T. Sasaki, S. Ohga, T. Yoshitake, K. Atsumi, M. Shinoto,
K. Asai, K. Matsumoto, H. Hirata, Y. Shioyama, A. Nishie, H. Honda.....88

Lung Stereotactic Body Radiotherapy Using an Abdominal Compression System, “Air-Bag System”

H. Miura, R.-J. Oh, N. Masai, H. Shiomi, K. Yamada, T. Inoue.....98

Feasible Method to Assess the Performance of a Lung Cancer CT Screening CAD System in Clinical Practice: Dependence on Nodule Size and Density

J. C. Marasinghe, M. Ohkubo, H. Kobayashi, K. Muraio, T. Matsumoto, S. Sone, S. Wada.....107