

Table of Contents

Volume 6 Number 3

August 2017

Quality Control of Gamma Camera with SPECT Systems

- Md. R. Hasan, Md. H. R. Khan, Md. R. Rahman, Md. S. Parvez, Md. R. Islam, A. K. Paul.....225

Analysis of Dose Calculation Accuracy in Cone Beam Computed Tomography with Various Amount of Scattered Photon Contamination

- K. Usui, K. Ogawa, K. Sasai.....233

Feasibility of a Direct-Conversion Method from Magnetic Susceptibility to Relative Electron Density for Radiation Therapy Treatment Planning

- K. Ito, N. Kadoya, Y. Nakajima, M. Saito, K. Sato, T. Nagasaka,
K. Yamanaka, S. Dobashi, K. Takeda, H. Matsushita, K. Jingu.....252

Dual-Energy X-Ray Computed Tomography Scanner Using Two Different Energy-Selection Electronics and a Lutetium-Oxyorthosilicate Photomultiplier Detector

- O. Hagiwara, E. Sato, Y. Oda, S. Yamaguchi, Y. Sato,
H. Matsukiyo, T. Enomoto, M. Watanabe, S. Kusachi.....266

Dose Distributions in Simulated Electron Radiotherapy with Intraoral Cones Using Treatment Planning System

- T. Shimozato, K. Okudaira.....280

Evaluation of Excitation Functions of Reactions Used in Production of Some Medical Radioisotopes

- I. Ahmad, Y. I. Yola, F. S. Koki.....290

Thermoluminescence Energy Response of Copper and Magnesium Oxide Doped Lithium Potassium Borate Using a Monte Carlo N-Particle Code Simulation

- K. M. Abushab, Y. S. Alajerami, S. Alagha, S. Hashim.....304

Prospective Study of Infrared-Guided Patient Setup for Fractionated Thoracic Radiation

- A. B. Chen, Y. Lyatskaya, J. H. Killoran, M. Boyd, S. Singh, S. Kaplin, A. M. Allen.....313

Accuracy Comparison of 4D Computed Tomography (4DCT) and 4D Cone Beam Computed Tomography (4DCBCT)

- T.-C. Lee, S. R. Bowen, S. St. James, G. A. Sandison, P. E. Kinahan, M. J. Nyflot.....323

Novel Wavelet-Based Segmentation of Prostate CBCT Images with Implanted Calypso Transponders

- Y. X. Liu, Z. Saleh, Y. L. Song, M. Chan, X. Li, C. Y. Shi, X. Qian, X. L. Tang.....336

Calculation of Reactions Cross Section for Neutron-Induced Reactions on ^{127}I Isotope

I. Ahmad, F. S. Koki.....344