

ISSN: 2164-5388

Volume 13, Number 2, April 2023



Open Journal of Biophysics

BIOPHYSICS

ISSN: 2164-5388



9 772164 538002 02

<https://www.scirp.org/journal/ojbiphy>

Journal Editorial Board

ISSN Print: 2164-5388 ISSN Online: 2164-5396

<https://www.scirp.org/journal/ojbiph>

Editor-in-Chief

Prof. W. John Martin

Institute of Progressive Medicine, USA

Associate Editors

Dr. Veysel Kayser

Massachusetts Institute of Technology, USA

Prof. Ganhui Lan

George Washington University, USA

Dr. Jaan Männik

University of Tennessee, USA

Prof. Sanbo Qin

Florida State University, USA

Dr. Bo Sun

Oregon State University, USA

Dr. Bin Tang

South University of Science and Technology of China, China

Editorial Board

Prof. Rabiul Ahasan

University of Oulu, Finland

Prof. Abass Alavi

University of Pennsylvania, USA

Prof. Chris Bystroff

Rensselaer Polytechnic Institute, USA

Dr. Luigi Maxmilian Caligiuri

University of Calabria, Italy

Prof. Robert H. Chow

University of Southern California, USA

Prof. Carmen Domene

University of Oxford, UK

Prof. Antonio José da Costa Filho

University of São Paulo, Brazil

Prof. Ferdinand Gasparyan

Yerevan State University, Armenia

Dr. John Kolega

State University of New York, USA

Dr. Pavel Kraikivski

Virginia Tech, USA

Dr. Gee A. Lau

University of Illinois at Urbana-Champaign, USA

Prof. Yves Mély

Louis Pasteur University, France

Dr. Monalisa Mukherjea

University of Pennsylvania, USA

Dr. Jerry Opoku-Ansah

University of Cape Coast, Ghana

Dr. Xiaodong Pang

Florida State University, USA

Prof. Arthur D. Rosen

Indiana University, USA

Prof. Brian Matthew Salzberg

University of Pennsylvania, USA

Dr. Preet Sharma

Midwestern State University, USA

Prof. Jianwei Shuai

Xiamen University, China

Prof. Alexander A. Spector

Johns Hopkins University, USA

Prof. Munekazu Yamakuchi

University of Rochester, USA

Table of Contents

Volume 13 Number 2

April 2023

Subacute Hyperthyroidism Induced by Treatment with Lithium Salts

S. M. Badiane, K. Gueye, A. D. Dia, A. Barro.....29

Open Journal of Biophysics (OJBIPHY)

Journal Information

SUBSCRIPTIONS

The *Open Journal of Biophysics* (Online at Scientific Research Publishing, <https://www.scirp.org/>) is published quarterly by Scientific Research Publishing, Inc., USA.

Subscription rates:

Print: \$79 per issue.

To subscribe, please contact Journals Subscriptions Department, E-mail: sub@scirp.org

SERVICES

Advertisements

Advertisement Sales Department, E-mail: service@scirp.org

Reprints (minimum quantity 100 copies)

Reprints Co-ordinator, Scientific Research Publishing, Inc., USA.

E-mail: sub@scirp.org

COPYRIGHT

Copyright and reuse rights for the front matter of the journal:

Copyright © 2023 by Scientific Research Publishing Inc.

This work is licensed under the Creative Commons Attribution International License (CC BY).

<http://creativecommons.org/licenses/by/4.0/>

Copyright for individual papers of the journal:

Copyright © 2023 by author(s) and Scientific Research Publishing Inc.

Reuse rights for individual papers:

Note: At SCIRP authors can choose between CC BY and CC BY-NC. Please consult each paper for its reuse rights.

Disclaimer of liability

Statements and opinions expressed in the articles and communications are those of the individual contributors and not the statements and opinion of Scientific Research Publishing, Inc. We assume no responsibility or liability for any damage or injury to persons or property arising out of the use of any materials, instructions, methods or ideas contained herein. We expressly disclaim any implied warranties of merchantability or fitness for a particular purpose. If expert assistance is required, the services of a competent professional person should be sought.

PRODUCTION INFORMATION

For manuscripts that have been accepted for publication, please contact:

E-mail: ojbiphy@scirp.org

Subacute Hyperthyroidism Induced by Treatment with Lithium Salts

Serigne Moussa Badiane^{1*}, Kalidou Gueye², Amadou Diop Dia¹, Amadou Barro³

¹Biophysics and Nuclear Medicine, Faculty of Health Sciences, Gaston Berger University of Saint-Louis, Senegal

²Department of Biophysics and Nuléaire Médecine, Cheikh Anta Diop University, Dakar, Senegal

³ENT Department, Cheikh Anta Diop University, Dakar, Senegal

Email: *drmoussabadiane@gmail.com

How to cite this paper: Badiane, S.M., Gueye, K., Dia, A.D. and Barro, A. (2023) Subacute Hyperthyroidism Induced by Treatment with Lithium Salts. *Open Journal of Biophysics*, 13, 29-33.
<https://doi.org/10.4236/ojbiph.2023.132003>

Received: May 8, 2022

Accepted: April 17, 2023

Published: April 20, 2023

Copyright © 2023 by author(s) and Scientific Research Publishing Inc.

This work is licensed under the Creative

Commons Attribution International

License (CC BY 4.0).

<http://creativecommons.org/licenses/by/4.0/>



Open Access

Abstract

Lithium treatment is usually indicated in bipolar disorder. It is associated with hypothyroidism and very rarely with hyperthyroidism. We report here the results of the exploration of a case of thyrotoxicosis occurring during treatment with lithium salts. This was a 16-year-old patient with ongoing lithium treatment for two and a half years who presented with a thyrotoxicosis syndrome without a context of iodine overload or an episode of anterior cervical pain that could suggest subacute thyroiditis or orthopathic sign. The assessment of the exploration of this patient reveals biological hyperthyroidism without anti-TSH receptor antibodies, a normal ultrasound, and white scintigraphy which makes it possible to evoke the diagnosis of subacute thyroiditis (absence of the context of iodine overload). Note the interest in a thyroid assessment before and during treatment with lithium salts. Moreover, scintigraphy occupies a place of choice in the exploration of hyperthyroidism, particularly in the context of normal thyroid ultrasound imaging.

Keywords

Hyperthyroidism, Lithium, Scintigraphy

1. Introduction

Lithium treatment is usually indicated in bipolar disorder. It is associated with hypothyroidism and very rarely with hyperthyroidism. It is a mood stabilizer indicated in the curative treatment of episodes of mania and hypomania, but also as a preventive treatment for these episodes. Its mechanism of action is not yet clearly and fully elucidated. It would modulate the synaptic concentration of certain neuromodulators. It is always necessary to inform the patient about the benefits and constraints of this treatment and to carry out a pretherapeutic as-

assessment. The patient must in any event report any symptoms that may be related to the lithium treatment. The side effects of lithium are numerous and dominated by polyuro-polydypsic syndrome, nausea, vomiting, and weight gain. It is also associated with hypothyroidism and very rarely hyperthyroidism. We report here the results of the exploration of a case of thyrotoxicosis occurring during treatment with lithium salts.

We report here the results of the exploration of a case of thyrotoxicosis occurring during treatment with lithium salts.

2. Observation

16-year-old patient with ongoing lithium carbonate treatment for two and a half years who presented with thyrotoxicosis syndrome with loss of 3 to 4 kg, palpitations and thermophobia without tremor or diarrhea. Note the absence of a context of iodine overload, an episode of anterior neck pain that could suggest sub-acute thyroiditis or any sign of orthopathy.

Hormonal assessment: TSH indosable, Increase in free T3 to 9.5 pmol/l and free T4 to 23.5 pmol/l for a norm between 12 and 22. Negative TSH anti-receptor antibodies.

Thyroid ultrasound imaging: Thyroid of normal volume, is oechogenic, homogeneous, weakly vascularized without any nodular or dystrophic structure found. Absence of cervical adenopathy. Normal morphological appearance. (Figure 1)

Thyroid scintigraphy: Static image taken in anterior view 20 to 30 minutes after intravenous injection of 111 MBq of pertechnetate on a GAEDE camera.

Examination revealed a thyroid in an anterior cervical position. The rate of pertechnetate uptake at 20 minutes was lowered to 0.4% (normal values 1% to 3%) with diffuse attenuation of tracer uptake. Absence of individualization of hypofixing or hyperfixing focus. Unremarkable surrounding background noise. (Figure 2)




Figure 1. Thyroid ultrasound imaging.




Figure 2. Thyroid scintigraphy.

3. Discussion

The anti-manic properties of lithium were demonstrated in 1949 by the Australian John CADE. However, the absence of any plasma monitoring prevented its use given the lethality of the doses used at the time. It was thanks to the work of the Danish, Mogens SCHOU, in the 1960s that this treatment was later fully rehabilitated. Plasma lithemia provided valuable information on efficacy and safety of use. [1] Lithium is indicated in the basic treatment of bipolar disorders (prevention of relapses) and in the treatment of manic phases (phases of excitement). It is also used in the prevention of other psychic disorders. Lithium is recommended as first-line treatment in bipolar disorder by many guidelines. [2] Fifty years after it began to be used, knowledge about it continues to grow. Yet, paradoxically, its use is declining. [3] In adolescents, lithium salts are more frequently prescribed when psychotic signs are part of the clinical picture. [4] Some authors suggest that curative or prophylactic treatment with lithium salts can be administered to adolescents and children with the same medical precautions as those recommended for adults. [5] Their use is associated with thyroid abnormalities commonly described in the literature. These are essentially hypothyroidism and/or autoimmune thyroiditis. [6] Lithium-induced thyrotoxicosis is rarely described. One case out of 57 patients in a recent prospective study. [7] Hyperthyroidism due to lithium salts was first reported by Rosser and colleagues in 1976. The frequency is higher in women and increases with age. [8] The mechanisms explaining the thyroid impact of lithium are poorly understood. Lithium would lead to a decrease in iodine uptake by the thyroid, alter its integration in the form of iodotyrosines, and interfere with the release of thyroid hormones into the circulation, thus explaining the frequency of hypothyroidism. [9] In the observations of hyperthyroidism, lithium would have a direct responsibility in the destruction of follicular cells. Usually occurs after prolonged treatment for several years. Hyperthyroidism due to the release of thyroid hormones can also be observed when the dose of treatment is reduced or stopped. [10] The etiology may correspond to granulomatous thyroiditis, silent thyroiditis, toxic no-

dular goiter or basedow disease. [11]

Note that for the case that we are presenting, the assessment of the exploration of this patient reveals biological hyperthyroidism without anti-TSH receptor antibodies, a normal ultrasound, white scintigraphy which makes it possible to evoke the diagnosis of subacute thyroiditis (absence of the context of iodine overload). Note the absence of stigma of antithyroid autoimmunity. Note the interest in a thyroid assessment before and during treatment with lithium salts and endocrinological monitoring if necessary. Moreover, scintigraphy occupies a place of choice in the exploration of hyperthyroidism, particularly in the context of normal thyroid ultrasound.

Note that a thyroid assessment before and during treatment with lithium salts is necessary. This requires a measurement of the TSHus and the search for anti-TPO antibodies in pre-therapy and control of the TSHus at three months and every year during the treatment. In all cases, endocrinological follow-up is necessary for the event of an anomaly of the TSHus. [12]

The management of these hyperthyroidisms induced by the treatment with lithium salts requires the discontinuation of the treatment and the initiation of a specific treatment which, in turn, depends on the underlying thyroid pathology.

4. Conclusion

The occurrence of hyperthyroidism induced by treatment with lithium salts is rarely described. These are disparate cases of varying etiologies. Our presentation corresponds to a picture of subacute thyroiditis in a teenager after two and a half years of treatment. It confirms that hyperthyroidism can occur in adolescents as in adults during treatment with lithium salts. Once again the pre-therapeutic evaluation of the thyroid function and its monitoring during the treatment is necessary for the good conduct of the treatment with lithium salts. Moreover, scintigraphy occupies a place of choice in the exploration of these hyperthyroidisms, particularly in the context of normal thyroid ultrasound.


Conflicts of Interest

The authors declare no conflicts of interest regarding the publication of this paper.

References

- [1] Kebiro, L.C. (2019) La surveillance du patient sous lithium. <https://www.macsf.fr/responsabilite-professionnelle/Actes-de-soins-et-techniquemedicale/surveillance-du-patient-sous-lithium>
- [2] Haute Autorité de Santé (2009) Troubles bipolaires. Guide médecin. HAS, Saint-Denis.
- [3] Bulteau, S., Vigneau, C., Bronnec, M., Etcheverrigaray, F., *et al.* (2016) Modalités de surveillance des sels de lithium en psychiatrie: Des guidelines à la pratique. *Annales Médico-Psychologiques, Revue Psychiatrique*, **174**, 64-69. <https://doi.org/10.1016/j.amp.2015.12.009>
- [4] Gramond, A., *et al.* (2012) Les thymoregulateurs chez l'enfant et l'adolescent. *Neu-*

- ropsychiatrie de l'Enfance et de l'Adolescence*, **60**, 5-11.
<https://doi.org/10.1016/j.neurenf.2011.08.001>
- [5] Geller, B. and Luby, J. (1997) Child and Adolescent Bipolar Disorder: A Review of the Past 10 Years. *Journal of the American Academy of Child & Adolescent Psychiatry Home*, **36**, 1168-1176.
<https://doi.org/10.1097/00004583-199709000-00008>
- [6] Lazarus, J. (2009) Lithium and Thyroid. *Best Practice & Research Clinical Endocrinology & Metabolism*, **23**, 723-733.
<https://doi.org/10.1016/j.beem.2009.06.002>
- [7] Kirov, G., Tredget, J., John, R., Owen, M. and Lazarus, J. (2005) A Cross-Sectional and a Prospective Study of Thyroid Disorders in Lithium-Treated Patients. *Journal of Affective Disorders*, **87**, 313-317. <https://doi.org/10.1016/j.jad.2005.03.010>
- [8] Rosser, R. (1976) Thyrotoxicosis and Lithium. *The British Journal of Psychiatry*, **128**, 61-66. <https://doi.org/10.1192/bjp.128.1.61>
- [9] Mizukami, Y., Michigishi, T., Nonomura, A., Noguchi, M. and Takazura, E. (1995) Histological Features of the Thyroid Gland in a Patient with Lithium Induced Thyrotoxicosis. *Journal of Clinical Pathology*, **48**, 582-584.
<https://doi.org/10.1136/jcp.48.6.582>
- [10] Carmaciu, C.D., Anderson, C.S. and Lawton, C.A. (2003) Thyrotoxicosis after Complete or Partial Lithium Withdrawal in Two Patients with Bipolar Affective Disorder. *Bipolar Disorders*, **5**, 381-384.
<https://doi.org/10.1034/j.1399-5618.2003.00052.x>
- [11] Kravets, I. (2016) Hyperthyroidism: Diagnosis and Treatment. *American Family Physician*, **93**, 363-370. <https://www.aafp.org/pubs/afp/issues/2016/0301/p363.html>
- [12] Garcia, C., Mayaudon, H., Dupuy, O., et al. (2007) Thyroïdite Silencieuse Chez un Patient Traité Par Lithium. *La Revue de Médecine Interne*, **28**, 46-47.
<https://doi.org/10.1016/j.revmed.2006.09.001>



Call for Papers

Open Journal of Biophysics

ISSN Print: 2164-5388 ISSN Online: 2164-5396

<https://www.scirp.org/journal/ojbiphy>

Open Journal of Biophysics (OJBIPHY) is an international journal dedicated to the latest advancements in biophysics. The goal of this journal is to provide a platform for scientists and academicians all over the world to promote, share, and discuss various new issues and developments in different areas of biophysics.

Subject Coverage

All manuscripts must be prepared in English and are subject to a rigorous and fair peer-review process. Generally, accepted papers will appear online within 3 weeks followed by printed hard copy. The journal publishes original papers including but not limited to the following fields:

- Bioelectromagnetics
- Bioenergetics
- Bioinformatics and Computational Biophysics
- Biological Imaging
- Biomedical Imaging and Bioengineering
- Biophysics of Disease
- Biophysics of Photosynthesis
- Cardiovascular Biophysics
- Cell Biophysics
- Medical Biophysics
- Membrane Biophysics
- Molecular Biophysics and Structural Biology
- Physical Methods
- Physiology and Biophysics of the Inner Ear
- Proteins and Nucleic Acids Biophysics
- Radiobiology
- Receptors and Ionic Channels Biophysics
- Sensory Biophysics and Neurophysiology
- Systems Biophysics
- Theoretical and Mathematical Biophysics

We are also interested in: 1) Short Reports—2-5 page papers where an author can either present an idea with theoretical background but has not yet completed the research needed for a complete paper or preliminary data; 2) Book Reviews—Comments and critiques.

Notes for Intending Authors

Submitted papers should not have been previously published nor be currently under consideration for publication elsewhere. Paper submission will be handled electronically through the website. All papers are refereed through a peer review process. For more details about the submissions, please access the website.

Website and E-Mail

<https://www.scirp.org/journal/ojbiphy>

E-mail: ojbiphy@scirp.org

What is SCIRP?

Scientific Research Publishing (SCIRP) is one of the largest Open Access journal publishers. It is currently publishing more than 200 open access, online, peer-reviewed journals covering a wide range of academic disciplines. SCIRP serves the worldwide academic communities and contributes to the progress and application of science with its publication.

What is Open Access?

All original research papers published by SCIRP are made freely and permanently accessible online immediately upon publication. To be able to provide open access journals, SCIRP defrays operation costs from authors and subscription charges only for its printed version. Open access publishing allows an immediate, worldwide, barrier-free, open access to the full text of research papers, which is in the best interests of the scientific community.

- High visibility for maximum global exposure with open access publishing model
- Rigorous peer review of research papers
- Prompt faster publication with less cost
- Guaranteed targeted, multidisciplinary audience



**Scientific
Research
Publishing**

Website: <https://www.scirp.org>

Subscription: sub@scirp.org

Advertisement: service@scirp.org