

Erratum to “Application and Perception of Potassium Iodide Following Silver Diamine Fluoride Treatment”, *Materials Sciences and Applications*, Vol. 13 (2022), 506-518

Michael Deek, Christian Ramlal, Nelson Triana, Jeffrey Thompson, Ria-Achong Bowe

College of Dental Medicine at Nova Southeastern University, Fort Lauderdale, USA

Email: christianramlall@gmail.com

How to cite this paper: Deek, M., Ramlal, C., Triana, N., Thompson, J. and Bowe, R.-A. (2023) Erratum to “Application and Perception of Potassium Iodide Following Silver Diamine Fluoride Treatment”, *Materials Sciences and Applications*, Vol. 13 (2022), 506-518. *Materials Sciences and Applications*, **14**, 284.

<https://doi.org/10.4236/msa.2023.144017>

Received: March 28, 2023

Accepted: April 21, 2023

Published: April 24, 2023

Copyright © 2023 by author(s) and Scientific Research Publishing Inc.
This work is licensed under the Creative Commons Attribution International License (CC BY 4.0).

<http://creativecommons.org/licenses/by/4.0/>



Open Access

The original online version of this article (Ramlal, C. and Triana, N. (2022) Application and Perception of Potassium Iodide Following Silver Diamine Fluoride Treatment. *Materials Sciences and Applications*, **13**, 506-518.

<https://doi.org/10.4236/msa.2022.139031>) was published without the coauthors mistakenly. To reflect the contribution and responsibility of the coauthors at the time of the study, we revised authorship and affiliation of the article. The author wishes to correct the errors to:

Michael Deek, Christian Ramlal, Nelson Triana,
Jeffrey Thompson, Ria-Achong Bowe

College of Dental Medicine at Nova Southeastern University, Fort Lauderdale, USA