

# Coronavirus and Gordon Life Science Institute

**Kuo-Chen Chou**

Gordon Life Science Institute, Boston, Massachusetts 02478, United States of America

**Correspondence to:** Kuo-Chen Chou, kcchou@gordonlifescience.org, kcchou38@gmail.com

**Keywords:** Pandemic COVID-19, The End of World, The Holy Bible Prophecy, The Deducted Outcomes of Many Philosophers

**Received:** July 1, 2020

**Accepted:** July 7, 2020

**Published:** July 10, 2020

Copyright © 2020 by author(s) and Scientific Research Publishing Inc.

This work is licensed under the Creative Commons Attribution International License (CC BY 4.0).

<http://creativecommons.org/licenses/by/4.0/>



Open Access

## ABSTRACT

**The impacts of coronavirus to our planet are unprecedented; *i.e.*, they are going to eliminate the entire mankind. Driven by such horrible situation, some philosophical viewpoints have naturally happened. Whether the “World End” must come? If yes, when? During this waiting period, the best way to do science is via the Internet Institute, such as “Gordon Life Science Institute”, and the results thus achieved will be most rewarding.**

## 1. INTRODUCTION

As of June-30-2020, more than 200 countries on our planet have been attacked by the coronavirus disease 2019 (COVID-19): for USA alone with reported 2,682,424 cases of which 128,824 resulted in deaths; for United Kingdom with 312,654 cases and 43,730 deaths.

## 2. FACTS AND DISCUSSIONS

The damage power of COVID-19 is overwhelmingly stronger than “atomic bombs” (2nd World War, 1945) or any kind of terrorists (“911”, 2001). The death number has also far exceeded the death number reported for any war of USA history. Accordingly, such unprecedented power must come from the “Creator” rather than from being created human beings.

Coronavirus disease 2019 (COVID-19) is an infectious disease caused by severe acute respiratory syndrome, which was first identified in December 2019 in Wuhan, Hubei, China. After April 2020 and causing about 4,000 deaths, although no remarkable infectious cases reported in Wuhan. Unfortunately, the 2<sup>nd</sup>-round coronavirus diseases have started landing on Beijing during May 2020. This kind of first from “Eastern countries” to Western Countries” and then as a feedback from the West to the East, very much like playing “ping-pong” or “Tennis” ball. Here, the ball is none but the “Coronavirus”.

Facing such environments, all the scientists working in a sharing laboratory of the Universities or most conversional Institutes must or being forced to wear masks except those working in the “Internet Institute” such as the “Gordon Life Science Institute” [1, 2]. And the results thus obtained will be most awarding as elaborated in [3]. As concurred by a series of interesting publications, particularly for the idea

of “Pseudo Amino Acid Composition” [4-99], and “5-Steps Rule” [100-140].

### 3. CONCLUSIONS

For the planet where we are staying, after several rounds of the killings as described in the Section 2, its “End” will be expedited exponentially with time. Before its “End”, it will be most awarding to do science with the “Internet Institutes”.

### CONFLICTS OF INTEREST

The authors declare no conflicts of interest regarding the publication of this paper.

### REFERENCES

1. Chou, K.C. (2019) The Cradle of Gordon Life Science Institute and Its Development and Driving Force. *International Journal of Biological Genetics*, **1**, 1-28.
2. Chou, K.C. (2019) Intriguing Story about the Birth of Gordon Life Science Institute and Its Development and Driving Force. *Journal of Retro Virology and Anti Retro Virology*, **1**, Article ID: 180002.
3. Chou, K.C. (2020) The Development of Gordon Life Science Institute: Its Driving Force and Accomplishments. *Natural Science*, **12**, 202-217. <https://doi.org/10.4236/ns.2020.124018>
4. Ding, Y.S. and Zhang, T.L. (2008) Using Chou’s Pseudo Amino Acid Composition to Predict Subcellular Localization of Apoptosis Proteins: An Approach with Immune Genetic Algorithm-Based Ensemble Classifier. *Pattern Recognition Letters*, **29**, 1887-1892. <https://doi.org/10.1016/j.patrec.2008.06.007>
5. Fang, Y., Guo, Y., Feng, Y. and Li, M. (2008) Predicting DNA-Binding Proteins: Approached from Chou’s Pseudo Amino Acid Composition and Other Specific Sequence Features. *Amino Acids*, **34**, 103-109. <https://doi.org/10.1007/s00726-007-0568-2>
6. Jiang, X., Wei, R., Zhang, T.L. and Gu, Q. (2008) Using the Concept of Chou’s Pseudo Amino Acid Composition to Predict Apoptosis Proteins Subcellular Location: An Approach by Approximate Entropy. *Protein & Peptide Letters*, **15**, 392-396. <https://doi.org/10.2174/092986608784246443>
7. Jiang, X., Wei, R., Zhao, Y. and Zhang, T. (2008) Using Chou’s Pseudo Amino Acid Composition Based on Approximate Entropy and an Ensemble of AdaBoost Classifiers to Predict Protein Subnuclear Location. *Amino Acids*, **34**, 669-675. <https://doi.org/10.1007/s00726-008-0034-9>
8. Li, F.M. and Li, Q.Z. (2008) Predicting Protein Subcellular Location Using Chou’s Pseudo Amino Acid Composition and Improved Hybrid Approach. *Protein & Peptide Letters*, **15**, 612-616. <https://doi.org/10.2174/092986608784966930>
9. Lin, H. (2008) The Modified Mahalanobis Discriminant for Predicting Outer Membrane Proteins by Using Chou’s Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **252**, 350-356. <https://doi.org/10.1016/j.jtbi.2008.02.004>
10. Lin, H., Ding, H., Guo, F.B., Zhang, A.Y. and Huang, J. (2008) Predicting Subcellular Localization of Mycobacterial Proteins by Using Chou’s Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **15**, 739-744. <https://doi.org/10.2174/092986608785133681>
11. Nanni, L. and Lumini, A. (2008) Genetic Programming for Creating Chou’s Pseudo Amino Acid Based Features for Submitochondria Localization. *Amino Acids*, **34**, 653-660. <https://doi.org/10.1007/s00726-007-0018-1>
12. Zhang, G.Y., Li, H.C., Gao, J.Q. and Fang, B.S. (2008) Predicting Lipase Types by Improved Chou’s Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **15**, 1132-1137. <https://doi.org/10.2174/092986608786071184>

13. Zhang, S.W., Chen, W., Yang, F. and Pan, Q. (2008) Using Chou's Pseudo Amino Acid Composition to Predict Protein Quaternary Structure: A Sequence-Segmented PseAAC Approach. *Amino Acids*, **35**, 591-598. <https://doi.org/10.1007/s00726-008-0086-x>
14. Zhang, S.W., Zhang, Y.L., Yang, H.F., Zhao, C.H. and Pan, Q. (2008) Using the Concept of Chou's Pseudo Amino Acid Composition to Predict Protein Subcellular Localization: An Approach by Incorporating Evolutionary Information and von Neumann Entropies. *Amino Acids*, **34**, 565-572. <https://doi.org/10.1007/s00726-007-0010-9>
15. Chen, C., Chen, L., Zou, X. and Cai, P. (2009) Prediction of Protein Secondary Structure Content by Using the Concept of Chou's Pseudo Amino Acid Composition and Support Vector Machine. *Protein & Peptide Letters*, **16**, 27-31. <https://doi.org/10.2174/092986609787049420>
16. Georgiou, D.N., Karakasidis, T.E., Nieto, J.J. and Torres, A. (2009) Use of Fuzzy Clustering Technique and Matrices to Classify Amino Acids and Its Impact to Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **257**, 17-26. <https://doi.org/10.1016/j.jtbi.2008.11.003>
17. Li, Z.C., Zhou, X.B., Dai, Z. and Zou, X.Y. (2009) Prediction of Protein Structural Classes by Chou's Pseudo Amino Acid Composition: Approached Using Continuous Wavelet Transform and Principal Component Analysis. *Amino Acids*, **37**, 415-425. <https://doi.org/10.1007/s00726-008-0170-2>
18. Lin, H., Wang, H., Ding, H., Chen, Y.L. and Li, Q.Z. (2009) Prediction of Subcellular Localization of Apoptosis Protein Using Chou's Pseudo Amino Acid Composition. *Acta Biotheoretica*, **57**, 321-330. <https://doi.org/10.1007/s10441-008-9067-4>
19. Qiu, J.D., Huang, J.H., Liang, R.P. and Lu, X.Q. (2009) Prediction of G-Protein-Coupled Receptor Classes Based on the Concept of Chou's Pseudo Amino Acid Composition: An Approach from Discrete Wavelet Transform. *Analytical Biochemistry*, **390**, 68-73. <https://doi.org/10.1016/j.ab.2009.04.009>
20. Zeng, Y.H., Guo, Y.Z., Xiao, R.Q., Yang, L., Yu, L.Z. and Li, M.L. (2009) Using the Augmented Chou's Pseudo Amino Acid Composition for Predicting Protein Mitochondria Locations Based on Auto Covariance Approach. *Journal of Theoretical Biology*, **259**, 366-372. <https://doi.org/10.1016/j.jtbi.2009.03.028>
21. Esmaeili, M., Mohabatkar, H. and Mohsenzadeh, S. (2010) Using the Concept of Chou's Pseudo Amino Acid Composition for Risk Type Prediction of Human Papillomaviruses. *Journal of Theoretical Biology*, **263**, 203-209. <https://doi.org/10.1016/j.jtbi.2009.11.016>
22. Gu, Q., Ding, Y.S. and Zhang, T.L. (2010) Prediction of G-Protein-Coupled Receptor Classes in Low Homology Using Chou's Pseudo Amino Acid Composition with Approximate Entropy and Hydrophobicity Patterns. *Protein & Peptide Letters*, **17**, 559-567. <https://doi.org/10.2174/092986610791112693>
23. Mohabatkar, H. (2010) Prediction of Cyclin Proteins Using Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **17**, 1207-1214. <https://doi.org/10.2174/092986610792231564>
24. Qiu, J.D., Huang, J.H., Shi, S.P. and Liang, R.P. (2010) Using the Concept of Chou's Pseudo Amino Acid Composition to Predict Enzyme Family Classes: An Approach with Support Vector Machine Based on Discrete Wavelet Transform. *Protein & Peptide Letters*, **17**, 715-722. <https://doi.org/10.2174/092986610791190372>
25. Sahu, S.S. and Panda, G. (2010) A Novel Feature Representation Method Based on Chou's Pseudo Amino Acid Composition for Protein Structural Class Prediction. *Computational Biology and Chemistry*, **34**, 320-327. <https://doi.org/10.1016/j.compbiolchem.2010.09.002>
26. Yu, L., Guo, Y., Li, Y., Li, G., Li, M., Luo, J., Xiong, W. and Qin, W. (2010) SecretP: Identifying Bacterial Secreted Proteins by Fusing New Features into Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **267**, 1-6. <https://doi.org/10.1016/j.jtbi.2010.08.001>
27. Guo, J., Rao, N., Liu, G., Yang, Y. and Wang, G. (2011) Predicting Protein Folding Rates Using the Concept of

Chou's Pseudo Amino Acid Composition. *Journal of Computational Chemistry*, **32**, 1612-1617.

<https://doi.org/10.1002/jcc.21740>

28. Lin, J. and Wang, Y. (2011) Using a Novel AdaBoost Algorithm and Chou's Pseudo Amino Acid Composition for Predicting Protein Subcellular Localization. *Protein & Peptide Letters*, **18**, 1219-1225. <https://doi.org/10.2174/092986611797642797>
29. Lin, J., Wang, Y. and Xu, X. (2011) A Novel Ensemble and Composite Approach for Classifying Proteins Based on Chou's Pseudo Amino Acid Composition. *African Journal of Biotechnology*, **10**, 16963-16968. <https://doi.org/10.5897/AJB11.429>
30. Mohabatkar, H., Mohammad Beigi, M. and Esmaili, A. (2011) Prediction of GABA(A) Receptor Proteins Using the Concept of Chou's Pseudo Amino Acid Composition and Support Vector Machine. *Journal of Theoretical Biology*, **281**, 18-23. <https://doi.org/10.1016/j.jtbi.2011.04.017>
31. Mohammad, B.M., Behjati, M. and Mohabatkar, H. (2011) Prediction of Metalloproteinase Family Based on the Concept of Chou's Pseudo Amino Acid Composition Using a Machine Learning Approach. *Journal of Structural and Functional Genomics*, **12**, 191-197. <https://doi.org/10.1007/s10969-011-9120-4>
32. Qiu, J.D., Suo, S.B., Sun, X.Y., Shi, S.P. and Liang, R.P. (2011) OligoPred: A Web-Server for Predicting Homo-Oligomeric Proteins by Incorporating Discrete Wavelet Transform into Chou's Pseudo Amino Acid Composition. *Journal of Molecular Graphics & Modelling*, **30**, 129-134. <https://doi.org/10.1016/j.jmgm.2011.06.014>
33. Zou, D., He, Z., He, J. and Xia, Y. (2011) Supersecondary Structure Prediction Using Chou's Pseudo Amino Acid Composition. *Journal of Computational Chemistry*, **32**, 271-278. <https://doi.org/10.1002/jcc.21616>
34. Cao, J.Z., Liu, W.Q. and Gu, H. (2012) Predicting Viral Protein Subcellular Localization with Chou's Pseudo Amino Acid Composition and Imbalance-Weighted Multi-Label K-Nearest Neighbor Algorithm. *Protein and Peptide Letters*, **19**, 1163-1169. <https://doi.org/10.2174/092986612803216999>
35. Chen, C., Shen, Z.B. and Zou, X.Y. (2012) Dual-Layer Wavelet SVM for Predicting Protein Structural Class via the General Form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **19**, 422-429. <https://doi.org/10.2174/092986612799789332>
36. Du, P., Wang, X., Xu, C. and Gao, Y. (2012) PseAAC-Builder: A Cross-Platform Stand-Alone Program for Generating Various Special Chou's Pseudo Amino Acid Compositions. *Analytical Biochemistry*, **425**, 117-119. <https://doi.org/10.1016/j.ab.2012.03.015>
37. Fan, G.L. and Li, Q.Z. (2012) Predict Mycobacterial Proteins Subcellular Locations by Incorporating Pseudo-Average Chemical Shift into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **304**, 88-95. <https://doi.org/10.1016/j.jtbi.2012.03.017>
38. Fan, G.L. and Li, Q.Z. (2012) Predicting Protein Mitochondria Locations by Combining Different Descriptors into the General Form of Chou's Pseudo Amino Acid Composition. *Amino Acids*, **43**, 545-555. <https://doi.org/10.1007/s00726-011-1143-4>
39. Li, L.Q., Zhang, Y., Zou, L.Y., Zhou, Y. and Zheng, X.Q. (2012) Prediction of Protein Subcellular Multi-Localization Based on the General form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **19**, 375-387. <https://doi.org/10.2174/092986612799789369>
40. Liu, L., Hu, X.Z., Liu, X.X., Wang, Y. and Li, S.B. (2012) Predicting Protein Fold Types by the General Form of Chou's Pseudo Amino Acid Composition: Approached from Optimal Feature Extractions. *Protein & Peptide Letters*, **19**, 439-449. <https://doi.org/10.2174/092986612799789378>
41. Nanni, L., Brahnam, S. and Lumini, A. (2012) Wavelet Images and Chou's Pseudo Amino Acid Composition for Protein Classification. *Amino Acids*, **43**, 657-665. <https://doi.org/10.1007/s00726-011-1114-9>
42. Nanni, L., Lumini, A., Gupta, D. and Garg, A. (2012) Identifying Bacterial Virulent Proteins by Fusing a Set of

Classifiers Based on Variants of Chou's Pseudo Amino Acid Composition and on Evolutionary Information. *IEEE-ACM Transaction on Computational Biology and Bioinformatics*, **9**, 467-475.

<https://doi.org/10.1109/TCBB.2011.117>

43. Niu, X.H., Hu, X.H., Shi, F. and Xia, J.B. (2012) Predicting Protein Solubility by the General Form of Chou's Pseudo Amino Acid Composition: Approached from Chaos Game Representation and Fractal Dimension. *Protein & Peptide Letters*, **19**, 940-948. <https://doi.org/10.2174/092986612802084492>
44. Ren, L.Y., Zhang, Y.S. and Gutman, I. (2012) Predicting the Classification of Transcription Factors by Incorporating Their Binding Site Properties into a Novel Mode of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **19**, 1170-1176. <https://doi.org/10.2174/092986612803217088>
45. Zhao, X.W., Ma, Z.Q. and Yin, M.H. (2012) Predicting Protein-Protein Interactions by Combing Various Sequence-Derived Features into the General Form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **19**, 492-500. <https://doi.org/10.2174/092986612800191080>
46. Zia-ur-Rehman and Khan, A. (2012) Identifying GPCRs and Their Types with Chou's Pseudo Amino Acid Composition: An Approach from Multi-Scale Energy Representation and Position Specific Scoring Matrix. *Protein & Peptide Letters*, **19**, 890-903. <https://doi.org/10.2174/092986612801619589>
47. Chen, Y.K. and Li, K.B. (2013) Predicting Membrane Protein Types by Incorporating Protein Topology, Domains, Signal Peptides, and Physicochemical Properties into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **318**, 1-12. <https://doi.org/10.1016/j.jtbi.2012.10.033>
48. Fan, G.L. and Li, Q.Z. (2013) Discriminating Bioluminescent Proteins by Incorporating Average Chemical Shift and Evolutionary Information into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **334**, 45-51. <https://doi.org/10.1016/j.jtbi.2013.06.003>
49. Georgiou, D.N., Karakasidis, T.E. and Megaritis, A.C. (2013) A Short Survey on Genetic Sequences, Chou's Pseudo Amino Acid Composition and Its Combination with Fuzzy Set Theory. *The Open Bioinformatics Journal*, **7**, 41-48. <https://doi.org/10.2174/1875036201307010041>
50. Gupta, M.K., Niyogi, R. and Misra, M. (2013) An Alignment-Free Method to Find Similarity among Protein Sequences via the General Form of Chou's Pseudo Amino Acid Composition. *SAR and QSAR in Environmental Research*, **24**, 597-609. <https://doi.org/10.1080/1062936X.2013.773378>
51. Huang, C. and Yuan, J. (2013) Using Radial Basis Function on the General Form of Chou's Pseudo Amino Acid Composition and PSSM to Predict Subcellular Locations of Proteins with Both Single and Multiple Sites. *Biosystems*, **113**, 50-57. <https://doi.org/10.1016/j.biosystems.2013.04.005>
52. Huang, C. and Yuan, J.Q. (2013) A Multilabel Model Based on Chou's Pseudo Amino Acid Composition for Identifying Membrane Proteins with Both Single and Multiple Functional Types. *The Journal of Membrane Biology*, **246**, 327-334. <https://doi.org/10.1007/s00232-013-9536-9>
53. Huang, C. and Yuan, J.Q. (2013) Predicting Protein Subchloroplast Locations with Both Single and Multiple Sites via Three Different Modes of Chou's Pseudo Amino Acid Compositions. *Journal of Theoretical Biology*, **335**, 205-212. <https://doi.org/10.1016/j.jtbi.2013.06.034>
54. Khosravian, M., Faramarzi, F.K., Beigi, M.M., Behbahani, M. and Mohabatkar, H. (2013) Predicting Antibacterial Peptides by the Concept of Chou's Pseudo Amino Acid Composition and Machine Learning Methods. *Protein & Peptide Letters*, **20**, 180-186. <https://doi.org/10.2174/092986613804725307>
55. Lin, H., Ding, C., Yuan, L.-F., Chen, W., Ding, H., Li, Z.-Q., Guo, F.-B., Huang, J. and Rao, N.-N. (2013) Predicting Subchloroplast Locations of Proteins Based on the General Form of Chou's Pseudo Amino Acid Composition: Approached from Optimal Tripeptide Composition. *International Journal of Biomathematics*, **6**, Article ID: 1350003. <https://doi.org/10.1142/S1793524513500034>



56. Liu, B., Wang, X., Zou, Q., Dong, Q. and Chen, Q. (2013) Protein Remote Homology Detection by Combining Chou's Pseudo Amino Acid Composition and Profile-Based Protein Representation. *Molecular Informatics*, **32**, 775-782. <https://doi.org/10.1002/minf.201300084>
57. Mohabatkar, H., Beigi, M.M., Abdolahi, K. and Mohsenzadeh, S. (2013) Prediction of Allergenic Proteins by Means of the Concept of Chou's Pseudo Amino Acid Composition and a Machine Learning Approach. *Medicinal Chemistry*, **9**, 133-137. <https://doi.org/10.2174/157340613804488341>
58. Qin, Y.F., Zheng, L. and Huang, J. (2013) Locating Apoptosis Proteins by Incorporating the Signal Peptide Cleavage Sites into the General Form of Chou's Pseudo Amino Acid Composition. *International Journal of Quantum Chemistry*, **113**, 1660-1667. <https://doi.org/10.1002/qua.24383>
59. Sarangi, A.N., Lohani, M. and Aggarwal, R. (2013) Prediction of Essential Proteins in Prokaryotes by Incorporating Various Physico-Chemical Features into the General form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **20**, 781-795. <https://doi.org/10.2174/0929866511320070008>
60. Wan, S., Mak, M.W. and Kung, S.Y. (2013) GOASVM: A Subcellular Location Predictor by Incorporating Term-Frequency Gene Ontology into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **323**, 40-48. <https://doi.org/10.1016/j.jtbi.2013.01.012>
61. Wang, X., Li, G.Z. and Lu, W.C. (2013) Virus-ECC-mPLoc: A Multi-Label Predictor for Predicting the Subcellular Localization of Virus Proteins with Both Single and Multiple Sites Based on a General Form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **20**, 309-317. <https://doi.org/10.2174/092986613804910608>
62. Niu, X.H., *et al.* (2013) Using the Concept of Chou's Pseudo Amino Acid Composition to Predict Protein Solubility: An Approach with Entropies in Information Theory. *Journal of Theoretical Biology*, **332**, 211-217. <https://doi.org/10.1016/j.jtbi.2013.03.010>
63. Du, P., Gu, S. and Jiao, Y. (2014) PseAAC-General: Fast Building Various Modes of General Form of Chou's Pseudo Amino Acid Composition for Large-Scale Protein Datasets. *International Journal of Molecular Sciences*, **15**, 3495-3506. <https://doi.org/10.3390/ijms15033495>
64. Hajisharifi, Z., Piryaiee, M., Mohammad Beigi, M., Behbahani, M. and Mohabatkar, H. (2014) Predicting Anti-cancer Peptides with Chou's Pseudo Amino Acid Composition and Investigating Their Mutagenicity via Ames Test. *Journal of Theoretical Biology*, **341**, 34-40. <https://doi.org/10.1016/j.jtbi.2013.08.037>
65. Jia, C., Lin, X. and Wang, Z. (2014) Prediction of Protein S-Nitrosylation Sites Based on Adapted Normal Distribution Bi-Profile Bayes and Chou's Pseudo Amino Acid Composition. *International Journal of Molecular Sciences*, **15**, 10410-10423. <https://doi.org/10.3390/ijms150610410>
66. Kong, L., Zhang, L. and Lv, J. (2014) Accurate Prediction of Protein Structural Classes by Incorporating Predicted Secondary Structure Information into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **344**, 12-18. <https://doi.org/10.1016/j.jtbi.2013.11.021>
67. Nanni, L., Brahnam, S. and Lumini, A. (2014) Prediction of Protein Structure Classes by Incorporating Different Protein Descriptors into General Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **360**, 109-116. <https://doi.org/10.1016/j.jtbi.2014.07.003>
68. Zhang, J., Sun, P., Zhao, X. and Ma, Z. (2014) PECM: Prediction of Extracellular Matrix Proteins Using the Concept of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **363**, 412-418. <https://doi.org/10.1016/j.jtbi.2014.08.002>
69. Zhang, L., Zhao, X. and Kong, L. (2014) Predict Protein Structural Class for Low-Similarity Sequences by Evolutionary Difference Information into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **355**, 105-110. <https://doi.org/10.1016/j.jtbi.2014.04.008>

70. Zuo, Y.C., Peng, Y., Liu, L., Chen, W., Yang, L. and Fan, G.L. (2014) Predicting Peroxidase Subcellular Location by Hybridizing Different Descriptors of Chou's Pseudo Amino Acid Patterns. *Analytical Biochemistry*, **458**, 14-19. <https://doi.org/10.1016/j.ab.2014.04.032>
71. Ali, F. and Hayat, M. (2015) Classification of Membrane Protein Types Using Voting Feature Interval in Combination with Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **384**, 78-83. <https://doi.org/10.1016/j.jtbi.2015.07.034>
72. Fan, G.L., Zhang, X.Y., Liu, Y.L., Nang, Y. and Wang, H. (2015) DSPMP: Discriminating Secretory Proteins of Malaria Parasite by Hybridizing Different Descriptors of Chou's Pseudo Amino Acid Patterns. *Journal of Computational Chemistry*, **36**, 2317-2327. <https://doi.org/10.1002/jcc.24210>
73. Huang, C. and Yuan, J.Q. (2015) Simultaneously Identify Three Different Attributes of Proteins by Fusing Their Three Different Modes of Chou's Pseudo Amino Acid Compositions. *Protein & Peptide Letters*, **22**, 547-556. <https://doi.org/10.2174/0929866522666150209151344>
74. Khan, Z.U., Hayat, M. and Khan, M.A. (2015) Discrimination of Acidic and Alkaline Enzyme Using Chou's Pseudo Amino Acid Composition in Conjunction with Probabilistic Neural Network Model. *Journal of Theoretical Biology*, **365**, 197-203. <https://doi.org/10.1016/j.jtbi.2014.10.014>
75. Kumar, R., Srivastava, A., Kumari, B. and Kumar, M. (2015) Prediction of Beta-Lactamase and Its Class by Chou's Pseudo Amino Acid Composition and Support Vector Machine. *Journal of Theoretical Biology*, **365**, 96-103. <https://doi.org/10.1016/j.jtbi.2014.10.008>
76. Wang, X., Zhang, W., Zhang, Q. and Li, G.Z. (2015) MultiP-SChlo: Multi-Label Protein Subchloroplast Localization Prediction with Chou's Pseudo Amino Acid Composition and a Novel Multi-Label Classifier. *Bioinformatics*, **31**, 2639-2645. <https://doi.org/10.1093/bioinformatics/btv212>
77. Jiao, Y.S. and Du, P.F. (2016) Prediction of Golgi-Resident Protein Types Using General Form of Chou's Pseudo Amino Acid Compositions: Approaches with Minimal Redundancy Maximal Relevance Feature Selection. *Journal of Theoretical Biology*, **402**, 38-44. <https://doi.org/10.1016/j.jtbi.2016.04.032>
78. Tang, H., Chen, W. and Lin, H. (2016) Identification of Immunoglobulins Using Chou's Pseudo Amino Acid Composition with Feature Selection Technique. *Molecular BioSystems*, **12**, 1269-1275. <https://doi.org/10.1039/C5MB00883B>
79. Zou, H.L. and Xiao, X. (2016) Predicting the Functional Types of Singleplex and Multiplex Eukaryotic Membrane Proteins via Different Models of Chou's Pseudo Amino Acid Compositions. *The Journal of Membrane Biology*, **249**, 23-29. <https://doi.org/10.1007/s00232-015-9830-9>
80. Huo, H., Li, T., Wang, S., Lv, Y., Zuo, Y. and Yang, L. (2017) Prediction of Presynaptic and Postsynaptic Neurotoxins by Combining Various Chou's Pseudo Components. *Scientific Reports*, **7**, Article No. 5827. <https://doi.org/10.1038/s41598-017-06195-y>
81. Rahimi, M., Bakhtiarizadeh, M.R. and Mohammadi-Sangcheshmeh, A. (2017) OOgenesis\_Pred: A Sequence-Based Method for Predicting Oogenesis Proteins by Six Different Modes of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **414**, 128-136. <https://doi.org/10.1016/j.jtbi.2016.11.028>
82. Tripathi, P. and Pandey, P.N. (2017) A Novel Alignment-Free Method to Classify Protein Folding Types by Combining Spectral Graph Clustering with Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **424**, 49-54. <https://doi.org/10.1016/j.jtbi.2017.04.027>
83. Yu, B., Lou, L., Li, S., Zhang, Y., Qiu, W., Wu, X., Wang, M. and Tian, B. (2017) Prediction of Protein Structural Class for Low-Similarity Sequences Using Chou's Pseudo Amino Acid Composition and Wavelet Denoising. *Journal of Molecular Graphics and Modelling*, **76**, 260-273. <https://doi.org/10.1016/j.jmgm.2017.07.012>
84. Al Maruf, M.A. and Shatabda, S. (2018) iRSpot-SF: Prediction of Recombination Hotspots by Incorporating

Sequence Based Features into Chou's Pseudo Components. *Genomics*, **111**, 966-972.

<https://doi.org/10.1016/j.ygeno.2018.06.003>

85. Arif, M., Hayat, M. and Jan, Z. (2018) iMem-2LSAAC: A Two-Level Model for Discrimination of Membrane Proteins and Their Types by Extending the Notion of SAAC into Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **442**, 11-21. <https://doi.org/10.1016/j.jtbi.2018.01.008>
86. Cui, X., Yu, Z., Yu, B., Wang, M., Tian, B. and Ma, Q. (2018) UbiSitePred: A Novel Method for Improving the Accuracy of Ubiquitination Sites Prediction by Using LASSO to Select the Optimal Chou's Pseudo Components. *Chemometrics and Intelligent Laboratory Systems*, **184**, 28-43. <https://doi.org/10.1016/j.chemolab.2018.11.012>
87. Mei, J. and Zhao, J. (2018) Prediction of HIV-1 and HIV-2 Proteins by Using Chou's Pseudo Amino Acid Compositions and Different Classifiers. *Scientific Reports*, **8**, Article No. 2359. <https://doi.org/10.1038/s41598-018-20819-x>
88. Qiu, W., Li, S., Cui, X., Yu, Z., Wang, M., Du, J., Peng, Y. and Yu, B. (2018) Predicting Protein Submitochondrial Locations by Incorporating the Pseudo-Position Specific Scoring Matrix into the General Chou's Pseudo-Amino Acid Composition. *Journal of Theoretical Biology*, **450**, 86-103. <https://doi.org/10.1016/j.jtbi.2018.04.026>
89. Zhang, L. and Kong, L. (2018) iRSpot-ADPM: Identify Recombination Spots by Incorporating the Associated Dinucleotide Product Model into Chou's Pseudo Components. *Journal of Theoretical Biology*, **441**, 1-8. <https://doi.org/10.1016/j.jtbi.2017.12.025>
90. Zhang, S., Yang, K., Lei, Y. and Song, K. (2018) iRSpot-DTS: Predict Recombination Spots by Incorporating the Dinucleotide-Based Spare-Cross Covariance Information into Chou's Pseudo Components. *Genomics*, **11**, 457-464.
91. Zhao, W., Wang, L., Zhang, T.X., Zhao, Z.N. and Du, P.F. (2018) A Brief Review on Software Tools in Generating Chou's Pseudo-Factor Representations for All Types of Biological Sequences. *Protein & Peptide Letters*, **25**, 822-829. <https://doi.org/10.2174/0929866525666180905111124>
92. Al Maruf, M.A. and Shatabda, S. (2019) iRSpot-SF: Prediction of Recombination Hotspots by Incorporating Sequence Based Features into Chou's Pseudo Components. *Genomics*, **111**, 966-972. <https://doi.org/10.1016/j.ygeno.2018.06.003>
93. Nosrati, M., Mohabatkar, H. and Behbahani, M. (2019) Introducing of an Integrated Artificial Neural Network and Chou's Pseudo Amino Acid Composition Approach for Computational Epitope-Mapping of Crimean-Congo Haemorrhagic Fever Virus Antigens. *International Immunopharmacology*, **78**, Article ID: 106020. <https://www.sciencedirect.com/science/article/pii/S1567576919321277>  
<https://doi.org/10.1016/j.intimp.2019.106020>
94. Pan, Y., Wang, S., Zhang, Q., Lu, Q., Su, D., Zuo, Y. and Yang, L. (2019) Analysis and Prediction of Animal Toxins by Various Chou's Pseudo Components and Reduced Amino Acid Compositions. *Journal of Theoretical Biology*, **462**, 221-229. <https://doi.org/10.1016/j.jtbi.2018.11.010>
95. Tahir, M., Tayara, H. and Chong, K.T. (2019) iRNA-PseKNC(2methyl): Identify RNA 2'-O-Methylation Sites by Convolution Neural Network and Chou's Pseudo Components. *Journal of Theoretical Biology*, **465**, 1-6. <https://doi.org/10.1016/j.jtbi.2018.12.034>
96. Tian, B., Wu, X., Chen, C., Qiu, W., Ma, Q. and Yu, B. (2019) Predicting Protein-Protein Interactions by Fusing Various Chou's Pseudo Components and Using Wavelet Denoising Approach. *Journal of Theoretical Biology*, **462**, 329-346. <https://doi.org/10.1016/j.jtbi.2018.11.011>
97. Zhang, L. and Kong, L. (2019) iRSpot-PDI: Identification of Recombination Spots by Incorporating Dinucleotide Property Diversity Information into Chou's Pseudo Components. *Genomics*, **111**, 457-464. <https://doi.org/10.1016/j.ygeno.2018.03.003>



98. Zhang, S., Yang, K., Lei, Y. and Song, K. (2019) iRSpot-DTS: Predict Recombination Spots by Incorporating the Dinucleotide-Based Spare-Cross Covariance Information into Chou's Pseudo Components. *Genomics*, **111**, 1760-1770. <https://doi.org/10.1016/j.ygeno.2018.11.031>
99. Nosrati, M., Mohabatkar, H. and Behbahani, M. (2020) Introducing of an Integrated Artificial Neural Network and Chou's Pseudo Amino Acid Composition Approach for Computational Epitope-Mapping of Crimean-Congo Haemorrhagic Fever Virus Antigens. *International Immunopharmacology*, **78**, Article ID: 106020. <https://doi.org/10.1016/j.intimp.2019.106020>
100. Butt, A.H. and Khan, Y.D. (2018) Prediction of S-Sulfenylation Sites Using Statistical Moments Based Features via Chou's 5-Step Rule. *International Journal of Peptide Research and Therapeutics*. <https://doi.org/10.1007/s10989-019-09931-2>
101. Awais, M., Hussain, W., Khan, Y.D., Rasool, N., Khan, S.A. and Chou, K.C. (2019) iPhosH-PseAAC: Identify Phosphohistidine Sites in Proteins by Blending Statistical Moments and Position Relative Features According to the Chou's 5-Step Rule and General Pseudo Amino Acid Composition. *IEEE/ACM Transactions on Computational Biology and Bioinformatics*. <https://doi.org/10.1109/TCBB.2019.2919025>
102. Barukab, O., Khan, Y.D., Khan, S.A. and Chou, K.C. (2019) iSulfoTyr-PseAAC: Identify Tyrosine Sulfation Sites by Incorporating Statistical Moments via Chou's 5-Steps Rule and Pseudo Components. *Current Genomics*, **20**, 306-320. <https://doi.org/10.2174/1389202920666190819091609>
103. Butt, A.H. and Khan, Y.D. (2019) Prediction of S-Sulfenylation Sites Using Statistical Moments Based Features via Chou's 5-Step Rule. *International Journal of Peptide Research and Therapeutics (IJPRT)*. <https://doi.org/10.1007/s10989-019-09931-2>
104. Chen, Y. and Fan, X. (2019) Use Chou's 5-Steps Rule to Reveal Active Compound and Mechanism of Shuangsheng Pingfei San on Idiopathic Pulmonary Fibrosis. *Current Molecular Medicine*. <https://doi.org/10.2174/1566524019666191011160543>
105. Du, X., Diao, Y., Liu, H. and Li, S. (2019) MsDBP: Exploring DNA-Binding Proteins by Integrating Multi-Scale Sequence Information via Chou's 5-Steps Rule. *Journal of Proteome Research*, **18**, 3119-3132. <https://doi.org/10.1021/acs.jproteome.9b00226>
106. Dutta, A., Dalmia, A., Singh, K.K. and Anand, A. (2019) Using the Chou's 5-Steps Rule to Predict Splice Junctions with Interpretable Bidirectional Long Short-Term Memory Networks. *Computers in Biology and Medicine*, **116**, Article ID: 103558. <https://doi.org/10.1016/j.combiomed.2019.103558>
107. Ehsan, A., Mahmood, M.K., Khan, Y.D., Barukab, O.M., Khan, S.A. and Chou, K.C. (2019) iHyd-PseAAC (EPSV): Identify Hydroxylation Sites in Proteins by Extracting Enhanced Position and Sequence Variant Feature via Chou's 5-Step Rule and General Pseudo Amino Acid Composition. *Current Genomics*, **20**, 124-133. <https://doi.org/10.2174/1389202920666190325162307>
108. Hussain, W., Khan, S.D., Rasool, N., Khan, S.A. and Chou, K.C. (2019) SPalmitoylC-PseAAC: A Sequence-Based Model Developed via Chou's 5-Steps Rule and General PseAAC for Identifying S-Palmitoylation Sites in Proteins. *Analytical Biochemistry*, **568**, 14-23. <https://doi.org/10.1016/j.ab.2018.12.019>
109. Hussain, W., Khan, Y.D., Rasool, N., Khan, S.A. and Chou, K.C. (2019) SPrenylC-PseAAC: A Sequence-Based Model Developed via Chou's 5-Steps Rule and General PseAAC for Identifying S-Prenylation Sites in Proteins. *Journal of Theoretical Biology*, **468**, 1-11. <https://doi.org/10.1016/j.jtbi.2019.02.007>
110. Jun, Z. and Wang, S.Y. (2019) Identify Lysine Neddylolation Sites Using Bi-Profile Bayes Feature Extraction via the Chou's 5-Steps Rule and General Pseudo Components. *Current Genomics*, **20**, 592-601. <https://doi.org/10.2174/1389202921666191223154629>
111. Khan, S., Khan, M., Iqbal, N., Hussain, T., Khan, S.A. and Chou, K.C. (2019) A Two-Level Computation Model Based on Deep Learning Algorithm for Identification of piRNA and Their Functions via Chou's 5-Steps Rule.

*Human Genetics*. <https://doi.org/10.1007/s10989-019-09887-3>

112. Khan, Z.U., Ali, F., Khan, I.A., Hussain, Y. and Pi, D. (2019) iRSpot-SPI: Deep Learning-Based Recombination Spots Prediction by Incorporating Secondary Sequence Information Coupled with Physio-Chemical Properties via Chou's 5-Step Rule and Pseudo Components. *Chemometrics and Intelligent Laboratory Systems (CHEMOLAB)*, **189**, 169-180. <https://doi.org/10.1016/j.chemolab.2019.05.003>
113. Lan, J., Liu, J., Liao, C., Merkle, D.J., Han, Q. and Li, J. (2019) A Study for Therapeutic Treatment against Parkinson's Disease via Chou's 5-Steps Rule. *Current Topics in Medicinal Chemistry*, **19**, 2318-2333. <http://www.eurekaselect.com/175887/article>  
<https://doi.org/10.2174/1568026619666191019111528>
114. Le, N.Q.K. (2019) iN6-methylat (5-Step): Identifying DNA N(6)-Methyladenine Sites in Rice Genome Using Continuous Bag of Nucleobases via Chou's 5-Step Rule. *Molecular Genetics and Genomics: MGG*, **294**, 1173-1182. <https://doi.org/10.1007/s00438-019-01570-y>
115. Le, N.Q.K., Yapp, E.K.Y., Ho, Q.T., Nagasundaram, N., Ou, Y.Y. and Yeh, H.Y. (2019) iEnhancer-5Step: Identifying Enhancers Using Hidden Information of DNA Sequences via Chou's 5-Step Rule and Word Embedding. *Analytical Biochemistry*, **571**, 53-61. <https://doi.org/10.1016/j.ab.2019.02.017>
116. Le, N.Q.K., Yapp, E.K.Y., Ou, Y.Y. and Yeh, H.Y. (2019) iMotor-CNN: Identifying Molecular Functions of Cytoskeleton Motor Proteins Using 2D Convolutional Neural Network via Chou's 5-Step Rule. *Analytical Biochemistry*, **575**, 17-26. <https://doi.org/10.1016/j.ab.2019.03.017>
117. Liang, R., Xie, J., Zhang, C., Zhang, M., Huang, H., Huo, H., Cao, X. and Niu, B. (2019) Identifying Cancer Targets Based on Machine Learning Methods via Chou's 5-Steps Rule and General Pseudo Components. *Current Topics in Medicinal Chemistry*, **19**, 2301-2317. <https://doi.org/10.2174/1568026619666191016155543>
118. Liang, Y. and Zhang, S. (2019) Identifying DNase I Hypersensitive Sites Using Multi-Features Fusion and F-Score Features Selection via Chou's 5-Steps Rule. *Biophysical Chemistry*, **253**, Article ID: 106227. <https://doi.org/10.1016/j.bpc.2019.106227>
119. Liu, Z., Dong, W., Jiang, W. and He, Z. (2019) csDMA: An Improved Bioinformatics Tool for Identifying DNA 6 mA Modifications via Chou's 5-Step Rule. *Scientific Reports*, **9**, Article No. 13109. <https://doi.org/10.1038/s41598-019-49430-4>
120. Malebary, S.J., Rehman, M.S.U. and Khan, Y.D. (2019) iCrotoK-PseAAC: Identify Lysine Crotonylation Sites by Blending Position Relative Statistical Features According to the Chou's 5-Step Rule. *PLoS ONE*, **14**, e0223993. <https://doi.org/10.1371/journal.pone.0223993>
121. Nazari, I., Tahir, M., Tayari, H. and Chong, K.T. (2019) iN6-Methyl (5-Step): Identifying RNA N6-Methyladenosine Sites Using Deep Learning Mode via Chou's 5-Step Rules and Chou's General PseKNC. *Chemometrics and Intelligent Laboratory Systems (CHEMOLAB)*, **193**, Article ID: 103811. <https://doi.org/10.1016/j.chemolab.2019.103811>
122. Ning, Q., Ma, Z. and Zhao, X. (2019) dForml(KNN)-PseAAC: Detecting Formylation Sites from Protein Sequences Using K-Nearest Neighbor Algorithm via Chou's 5-Step Rule and Pseudo Components. *Journal of Theoretical Biology*, **470**, 43-49. <https://doi.org/10.1016/j.jtbi.2019.03.011>
123. Tahir, M., Tayara, H. and Chong, K.T. (2019) iDNA6mA (5-Step Rule): Identification of DNA N6-Methyladenine Sites in the Rice Genome by Intelligent Computational Model via Chou's 5-Step Rule. *CHEMOLAB*, **189**, 96-101. <https://doi.org/10.1016/j.chemolab.2019.04.007>
124. Wiktorowicz, A., Wit, A., Dziewierz, A., Rzeszutko, L., Dudek, D. and Kleczynski, P. (2019) Calcium Pattern Assessment in Patients with Severe Aortic Stenosis via the Chou's 5-Steps Rule. *Current Pharmaceutical Design*, **25**, 3769-3775. <https://doi.org/10.2174/1381612825666190930101258>

125. Yang, L., Lv, Y., Wang, S., Zhang, Q., Pan, Y., Su, D., Lu, Q. and Zuo, Y. (2019) Identifying FL11 Subtype by Characterizing Tumor Immune Microenvironment in Prostate Adenocarcinoma via Chou's 5-Steps Rule. *Genomics*, **112**, 1500-1515. <https://doi.org/10.1016/j.ygeno.2019.08.021>
126. Akbar, S., Rahman, A.U., Hayat, M., *et al.* (2020) cACP: Classifying Anticancer Peptides Using Discriminative Intelligent Model via Chou's 5-Step Rules and General Pseudo Components. *Chemometrics and Intelligent Laboratory (CHEMOLAB)*, **196**, Article ID: 103912. <https://doi.org/10.1016/j.chemolab.2019.103912>
127. Akmal, M.A., Hussain, W., Rasool, N., Khan, Y.D., Khan, S.A. and Chou, K.C. (2020) Using Chou's 5-Steps Rule to Predict O-Linked Serine Glycosylation Sites by Blending Position Relative Features and Statistical Moment. *IEEE/ACM Transactions on Computational Biology and Bioinformatics*. (In Press) <https://doi.org/10.1109/TCBB.2020.2968441>
128. Charoenkwan, P., Schaduengrat, N., Nantasenamat, C., Piacham, T. and Shoombuatong, W. (2020) iQSP: A Sequence-Based Tool for the Prediction and Analysis of Quorum Sensing Peptides via Chou's 5-Steps Rule and Informative Physicochemical Properties. *International Journal of Molecular Sciences*, **21**, 75. <https://doi.org/10.3390/ijms21010075>
129. Charoenkwan, P., Schaduengrat, N., Nantasenamat, C., Piacham, T. and Shoombuatong, W. (2020) iQSP: A Sequence-Based Tool for the Prediction and Analysis of Quorum Sensing Peptides via Chou's 5-Steps Rule and Informative Physicochemical Properties. *International Journal of Molecular Sciences*, **21**, 75. <https://doi.org/10.3390/ijms21010075>
130. Chen, Y. and Fan, X. (2020) Use of Chou's 5-Steps Rule to Reveal Active Compound and Mechanism of Shuangshen Pingfei San on Idiopathic Pulmonary Fibrosis. *Current Molecular Medicine*, **20**, 220-230. <https://doi.org/10.2174/1566524019666191011160543>
131. Dobosz, R., Mucko, J. and Gawinecki, R. (2020) Using Chou's 5-Step Rule to Evaluate the Stability of Tautomers: Susceptibility of 2-[(Phenylimino)-methyl]-cyclohexane-1,3-diones to Tautomerization Based on the Calculated Gibbs Free Energies. *Energies*, **13**, 183. <https://doi.org/10.3390/en13010183>
132. Du, L., Meng, Q., Jiang, H. and Li, Y. (2020) Using Evolutionary Information and Multi-Label Linear Discriminant Analysis to Predict the Subcellular Location of Multi-Site Bacterial Proteins via Chou's 5-Steps Rule. *IEEE Access*, **8**, 56452-56461. <https://doi.org/10.1109/ACCESS.2020.2982160>
133. Dutta, A., Dalmia, A., Singh, K.K. and Anand, A. (2020) Using the Chou's 5-Steps Rule to Predict Splice Junctions with Interpretable Bidirectional Long Short-Term Memory Networks. *Computers in Biology and Medicine*, **116**, Article ID: 103558. <https://doi.org/10.1016/j.compbiomed.2019.103558>
134. Ju, Z. and Wang, S.Y. (2020) Prediction of Lysine Formylation Sites Using the Composition of k-Spaced Amino Acid Pairs via Chou's 5-Steps Rule and General Pseudo Components. *Genomics*, **112**, 859-866. <https://doi.org/10.1016/j.ygeno.2019.05.027>
135. Kabir, M., Ahmad, S., Iqbal, M. and Hayat, M. (2020) iNR-2L: A Two-Level Sequence-Based Predictor Developed via Chou's 5-Steps Rule and General PseAAC for Identifying Nuclear Receptors and Their Families. *Genomics*, **112**, 276-285. <https://doi.org/10.1016/j.ygeno.2019.02.006>
136. Khan, Y.D., Amin, N., Hussain, W., Rasool, N., Khan, S.A. and Chou, K.C. (2020) iProtease-PseAAC(2L): A Two-Layer Predictor for Identifying Proteases and Their Types Using Chou's 5-Step-Rule and General PseAAC. *Analytical Biochemistry*, **588**, Article ID: 113477. <https://doi.org/10.1016/j.ab.2019.113477>
137. Lin, W., Xiao, X., Qiu, W. and Chou, K.C. (2020) Use Chou's 5-Steps Rule to Predict Remote Homology Proteins by Merging Grey Incidence Analysis and Domain Similarity Analysis. *Natural Science*, **12**, 181-198. <https://doi.org/10.4236/ns.2020.123016>
138. Vishnoi, S., Garg, P. and Arora, P. (2020) Physicochemical n-Grams Tool: A Tool for Protein Physicochemical Descriptor Generation via Chou's 5-Step Rule. *Chemical Biology & Drug Design*, **95**, 79-86.

<https://doi.org/10.1111/cbdd.13617>

139. Vundavilli, H., Datta, A., Sima, C., Hua, J., Lopes, R. and Bittner, M. (2020) Using Chou's 5-Steps Rule to Model Feedback in Lung Cancer. *IEEE Journal of Biomedical and Health Informatics*, **21**, 1-24. <https://doi.org/10.1109/JBHI.2019.2958042>
140. Yang, L., Lv, Y., Wang, S., Zhang, Q., Pan, Y., Su, D., Lu, Q. and Zuo, Y. (2020) Identifying FL11 Subtype by Characterizing Tumor Immune Microenvironment in Prostate Adenocarcinoma via Chou's 5-Steps Rule. *Genomics*, **112**, 1500-1515. <https://doi.org/10.1016/j.ygeno.2019.08.021>