

# The Significant and Profound Impacts of Pseudo K-Tuple Nucleotide Composition

Kuo-Chen Chou

Gordon Life Science Institute, Boston, Massachusetts 02478, United States of America

Email: kcchou@gordonlifescience.org, kcchou38@gmail.com

---

**How to cite this paper:** Chou, K.-C. (2020). The Significant and Profound Impacts of Pseudo K-Tuple Nucleotide Composition. *Voice of the Publisher*, 6, 91-101.  
<https://doi.org/10.4236/vp.2020.63009>

**Received:** August 14, 2020

**Accepted:** September 13, 2020

**Published:** September 16, 2020

Copyright © 2020 by author(s) and Scientific Research Publishing Inc. This work is licensed under the Creative Commons Attribution International License (CC BY 4.0).  
<http://creativecommons.org/licenses/by/4.0/>



Open Access

## Abstract

In this short review paper, the significant and profound impacts of the “pseudo K-tuple nucleotide composition” have been briefly presented with crystal clear convincingness.

## Keywords

PseKNC, DNA/RNA, Pseudo Amino Acid Composition, Protein/Peptide, Significant Impacts, Profound Impacts

---

The “pseudo K-tuple nucleotide composition” or “PseKNC” [1], is an extended version of “pseudo amino acid composition” [2] or “PseAAC” [3].

Both PseAAC and PseKNC are of vector descriptor, but the former represents protein or peptide sequences while the latter represents DNA or RNA sequences.

Just like “PseAAC” (see, e.g., [4]-[35]) or “Pseudo amino acid composition” being very successful (see, e.g., [36]-[127]), it is indeed both significant and profound.

## Conflicts of Interest

The author declares no conflicts of interest regarding the publication of this paper.

## References

- [1] Chen, W., Lei, T.Y., Jin, D.C., Lin, H. and Chou, K.C. (2014) PseKNC: A Flexible Web-Server for Generating Pseudo K-Tuple Nucleotide Composition. *Analytical Biochemistry*, **456**, 53-60. <https://doi.org/10.1016/j.ab.2014.04.001>
- [2] Chou, K.C. (2001) Prediction of Protein Cellular Attributes Using Pseudo Amino Acid Composition. *PROTEINS: Structure, Function, and Genetics*, **43**, 246-255. (Erratum: Ibid., 2001, Vol. 44, 60) <https://doi.org/10.1002/prot.1035>

- [3] Chou, K.C. (2005) Using Amphiphilic Pseudo Amino Acid Composition to Predict Enzyme Subfamily Classes. *Bioinformatics*, **21**, 10-19.  
<https://doi.org/10.1093/bioinformatics/bth466>
- [4] Hayat, M. and Khan, A. (2012) Discriminating Outer Membrane Proteins with Fuzzy K-Nearest Neighbor Algorithms Based on the General Form of Chou's PseAAC. *Protein & Peptide Letters*, **19**, 411-421.  
<https://doi.org/10.2174/092986612799789387>
- [5] Liao, B., Xiang, Q. and Li, D. (2012) Incorporating Secondary Features into the General Form of Chou's PseAAC for Predicting Protein Structural Class. *Protein & Peptide Letters*, **19**, 1133-1138. <https://doi.org/10.2174/092986612803217051>
- [6] Mei, S. (2012) Multi-Kernel Transfer Learning Based on Chou's PseAAC Formulation for Protein Submitochondria Localization. *Journal of Theoretical Biology*, **293**, 121-130. <https://doi.org/10.1016/j.jtbi.2011.10.015>
- [7] Mei, S. (2012) Predicting Plant Protein Subcellular Multi-Localization by Chou's PseAAC Formulation Based Multi-Label Homolog Knowledge Transfer Learning. *Journal of Theoretical Biology*, **310**, 80-87. <https://doi.org/10.1016/j.jtbi.2012.06.028>
- [8] Qin, Y.F., Wang, C.H., Yu, X.Q., Zhu, J., Liu, T.G. and Zheng, X.Q. (2012) Predicting Protein Structural Class by Incorporating Patterns of Over-Represented k-mers into the General Form of Chou's PseAAC. *Protein & Peptide Letters*, **19**, 388-397.  
<https://doi.org/10.2174/092986612799789350>
- [9] Sun, X.Y., Shi, S.P., Qiu, J.D., Suo, S.B., Huang, S.Y. and Liang, R.P. (2012) Identifying Protein Quaternary Structural Attributes by Incorporating Physicochemical Properties into the General form of Chou's PseAAC via Discrete Wavelet Transform. *Molecular BioSystems*, **8**, 3178-3184. <https://doi.org/10.1039/c2mb25280e>
- [10] Cao, D.S., Xu, Q.S. and Liang, Y.Z. (2013) Propy: A Tool to Generate Various Modes of Chou's PseAAC. *Bioinformatics*, **29**, 960-962.  
<https://doi.org/10.1093/bioinformatics/btt072>
- [11] Chang, T.H., Wu, L.C., Lee, T.Y., Chen, S.P., Huang, H.D. and Horng, J.T. (2013) EuLoc: A Web-Server for Accurately Predict Protein Subcellular Localization in Eukaryotes by Incorporating Various Features of Sequence Segments into the General Form of Chou's PseAAC. *Journal of Computer-Aided Molecular Design*, **27**, 91-103. <https://doi.org/10.1007/s10822-012-9628-0>
- [12] Fan, G.-L., Li, Q.-Z. and Zuo, Y.-C. (2013) Predicting Acidic and Alkaline Enzymes by Incorporating the Average Chemical Shift and Gene Ontology Informations into the General Form of Chou's PseAAC. *Process Biochemistry*, **48**, 1048-1053.  
<https://doi.org/10.1016/j.procbio.2013.05.012>
- [13] Pacharawongsakda, E. and Theeramunkong, T. (2013) Predict Subcellular Locations of Singleplex and Multiplex Proteins by Semi-Supervised Learning and Dimension-Reducing General Mode of Chou's PseAAC. *IEEE Transactions on Nanobioscience*, **12**, 311-320. <https://doi.org/10.1109/TNB.2013.2272014>
- [14] Xie, H.L., Fu, L. and Nie, X.D. (2013) Using Ensemble SVM to Identify Human GPCRs N-Linked Glycosylation Sites Based on the General Form of Chou's PseAAC. *Protein Engineering, Design and Selection*, **26**, 735-742.  
<https://doi.org/10.1093/protein/gzt042>
- [15] Han, G.S., Yu, Z.G. and Anh, V. (2014) A Two-Stage SVM Method to Predict Membrane Protein Types by Incorporating Amino Acid Classifications and Physicochemical Properties into a General Form of Chou's PseAAC. *Journal of Theoretical Biology*, **344**, 31-39. <https://doi.org/10.1016/j.jtbi.2013.11.017>
- [16] Li, L., Yu, S., Xiao, W., Li, Y., Li, M., Huang, L., Zheng, X., Zhou, S. and Yang, H.

- (2014) Prediction of Bacterial Protein Subcellular Localization by Incorporating Various Features into Chou's PseAAC and a Backward Feature Selection Approach. *Biochimie*, **104**, 100-107. <https://doi.org/10.1016/j.biochi.2014.06.001>
- [17] Zhang, J., Zhao, X., Sun, P. and Ma, Z. (2014) PSNO: Predicting Cysteine S-Nitrosylation Sites by Incorporating Various Sequence-Derived Features into the General Form of Chou's PseAAC. *International Journal of Molecular Sciences*, **15**, 11204-11219. <https://doi.org/10.3390/ijms150711204>
- [18] Liu, B., Xu, J., Fan, S., Xu, R., Zhou, J. and Wang, X. (2015) PseDNA-Pro: DNA-Binding Protein Identification by Combining Chou's PseAAC and Physicochemical Distance Transformation. *Molecular Informatics*, **34**, 8-17. <https://doi.org/10.1002/minf.201400025>
- [19] Mandal, M., Mukhopadhyay, A. and Maulik, U. (2015) Prediction of Protein Subcellular Localization by Incorporating Multiobjective PSO-Based Feature Subset Selection into the General Form of Chou's PseAAC. *Medical & Biological Engineering & Computing*, **53**, 331-344. <https://doi.org/10.1007/s11517-014-1238-7>
- [20] Sanchez, V., Peinado, A.M., Perez-Cordoba, J.L. and Gomez, A.M. (2015) A New Signal Characterization and Signal-Based Chou's PseAAC Representation of Protein Sequences. *Journal of Bioinformatics and Computational Biology*, **13**, Article ID: 1550024. <https://doi.org/10.1142/S0219720015500249>
- [21] Kabir, M. and Hayat, M. (2016) iRSpot-GAEsC: Identifying Recombination Spots via Ensemble Classifier and Extending the Concept of Chou's PseAAC to Formulate DNA Samples. *Molecular Genetics and Genomics*, **291**, 285-296. <https://doi.org/10.1007/s00438-015-1108-5>
- [22] Tahir, M. and Hayat, M. (2016) iNuc-STNC: A Sequence-Based Predictor for Identification of Nucleosome Positioning in Genomes by Extending the Concept of SAAC and Chou's PseAAC. *Molecular BioSystems*, **12**, 2587-2593. <https://doi.org/10.1039/C6MB00221H>
- [23] Ju, Z. and He, J.J. (2017) Prediction of Lysine Propionylation Sites Using Biased SVM and Incorporating Four Different Sequence Features into Chou's PseAAC. *Journal of Molecular Graphics and Modelling*, **76**, 356-363. <https://doi.org/10.1016/j.jmgm.2017.07.022>
- [24] Yu, B., Li, S., Qiu, W.Y., Chen, C., Chen, R.X., Wang, L., Wang, M.H. and Zhang, Y. (2017) Accurate Prediction of Subcellular Location of Apoptosis Proteins Combining Chou's PseAAC and PsePSSM Based on Wavelet Denoising. *Oncotarget*, **8**, 107640-107665. <https://doi.org/10.18633/oncotarget.22585>
- [25] Ahmad, J. and Hayat, M. (2018) MFSC: Multi-Voting Based Feature Selection for Classification of Golgi Proteins by Adopting the General form of Chou's PseAAC Components. *Journal of Theoretical Biology*, **463**, 99-109. <https://doi.org/10.1016/j.jtbi.2018.12.017>
- [26] Akbar, S. and Hayat, M. (2018) iMethyl-STTNC: Identification of N(6)-methyladenosine Sites by Extending the Idea of SAAC into Chou's PseAAC to Formulate RNA Sequences. *Journal of Theoretical Biology*, **455**, 205-211. <https://doi.org/10.1016/j.jtbi.2018.07.018>
- [27] Contreras-Torres, E. (2018) Predicting Structural Classes of Proteins by Incorporating Their Global and Local Physicochemical and Conformational Properties into General Chou's PseAAC. *Journal of Theoretical Biology*, **454**, 139-145. <https://doi.org/10.1016/j.jtbi.2018.05.033>
- [28] Fu, X., Zhu, W., Liso, B., Cai, L., Peng, L. and Yang, J. (2018) Improved DNA-Binding Protein Identification by Incorporating Evolutionary Information into the Chou's PseAAC. *IEEE Access*, **18**, 43-66. <https://doi.org/10.1109/ACCESS.2018.2876656>

- [29] Javed, F. and Hayat, M. (2018) Predicting Subcellular Localizations of Multi-Label Proteins by Incorporating the Sequence Features into Chou's PseAAC. *Genomics*, **17**, 793-821.
- [30] Mousavizadegan, M. and Mohabatkar, H. (2018) Computational Prediction of Antifungal Peptides via Chou's PseAAC and SVM. *Journal of Bioinformatics and Computational Biology*, **16**, Article ID: 1850016. <https://doi.org/10.1142/S0219720018500166>
- [31] Zhang, S. and Liang, Y. (2018) Predicting Apoptosis Protein Subcellular Localization by Integrating Auto-Cross Correlation and PSSM into Chou's PseAAC. *Journal of Theoretical Biology*, **457**, 163-169. <https://doi.org/10.1016/j.jtbi.2018.08.042>
- [32] Ahmad, J. and Hayat, M. (2019) MFSC: Multi-Voting Based Feature Selection for Classification of Golgi Proteins by Adopting the General Form of Chou's PseAAC Components. *Journal of Theoretical Biology*, **463**, 99-109. <https://doi.org/10.1016/j.jtbi.2018.12.017>
- [33] Butt, A.H., Rasool, N. and Khan, Y.D. (2019) Prediction of Antioxidant Proteins by Incorporating Statistical Moments Based Features into Chou's PseAAC. *Journal of Theoretical Biology*, **473**, 1-8. <https://doi.org/10.1016/j.jtbi.2019.04.019>
- [34] Javed, F. and Hayat, M. (2019) Predicting Subcellular Localization of Multi-Label Proteins by Incorporating the Sequence Features into Chou's PseAAC. *Genomics*, **111**, 1325-1332. <https://doi.org/10.1016/j.ygeno.2018.09.004>
- [35] Tahir, M., Hayat, M. and Khan, S.A. (2019) iNuc-ext-PseTNC: An Efficient Ensemble Model for Identification of Nucleosome Positioning by Extending the Concept of Chou's PseAAC to Pseudo-Tri-Nucleotide Composition. *Molecular Genetics and Genomics, MGG*, **294**, 199-210. <https://doi.org/10.1007/s00438-018-1498-2>
- [36] Ding, Y.S. and Zhang, T.L. (2008) Using Chou's Pseudo Amino Acid Composition to Predict Subcellular Localization of Apoptosis Proteins: An Approach with Immune Genetic Algorithm-Based Ensemble Classifier. *Pattern Recognition Letters*, **29**, 1887-1892. <https://doi.org/10.1016/j.patrec.2008.06.007>
- [37] Fang, Y., Guo, Y., Feng, Y. and Li, M. (2008) Predicting DNA-Binding Proteins: Approached from Chou's Pseudo Amino Acid Composition and Other Specific Sequence Features. *Amino Acids*, **34**, 103-109. <https://doi.org/10.1007/s00726-007-0568-2>
- [38] Jiang, X., Wei, R., Zhang, T.L. and Gu, Q. (2008) Using the Concept of Chou's Pseudo Amino Acid Composition to Predict Apoptosis Proteins Subcellular Location: An Approach by Approximate Entropy. *Protein & Peptide Letters*, **15**, 392-396. <https://doi.org/10.2174/092986608784246443>
- [39] Jiang, X., Wei, R., Zhao, Y. and Zhang, T. (2008) Using Chou's Pseudo Amino Acid Composition Based on Approximate Entropy and an Ensemble of Adaboost Classifiers to Predict Protein Subnuclear Location. *Amino Acids*, **34**, 669-675. <https://doi.org/10.1007/s00726-008-0034-9>
- [40] Li, F.M. and Li, Q.Z. (2008) Predicting Protein Subcellular Location Using Chou's Pseudo Amino Acid Composition and Improved Hybrid Approach. *Protein & Peptide Letters*, **15**, 612-616. <https://doi.org/10.2174/092986608784966930>
- [41] Lin, H. (2008) The Modified Mahalanobis Discriminant for Predicting Outer Membrane Proteins by Using Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **252**, 350-356. <https://doi.org/10.1016/j.jtbi.2008.02.004>
- [42] Lin, H., Ding, H., Guo, F.B., Zhang, A.Y. and Huang, J. (2008) Predicting Subcellular Localization of Mycobacterial Proteins by Using Chou's Pseudo Amino Acid

- Composition. *Protein & Peptide Letters*, **15**, 739-744.  
<https://doi.org/10.2174/092986608785133681>
- [43] Nanni, L. and Lumini, A. (2008) Genetic Programming for Creating Chou's Pseudo Amino Acid Based Features for Submitochondria Localization. *Amino Acids*, **34**, 653-660. <https://doi.org/10.1007/s00726-007-0018-1>
- [44] Zhang, G.Y., Li, H.C., Gao, J.Q. and Fang, B.S. (2008) Predicting Lipase Types by Improved Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **15**, 1132-1137. <https://doi.org/10.2174/092986608786071184>
- [45] Zhang, S.W., Chen, W., Yang, F. and Pan, Q. (2008) Using Chou's Pseudo Amino Acid Composition to Predict Protein Quaternary Structure: A Sequence-Segmented PseAAC Approach. *Amino Acids*, **35**, 591-598.  
<https://doi.org/10.1007/s00726-008-0086-x>
- [46] Zhang, S.W., Zhang, Y.L., Yang, H.F., Zhao, C.H. and Pan, Q. (2008) Using the Concept of Chou's Pseudo Amino Acid Composition to Predict Protein Subcellular Localization: An Approach by Incorporating Evolutionary Information and Von Neumann Entropies. *Amino Acids*, **34**, 565-572.  
<https://doi.org/10.1007/s00726-007-0010-9>
- [47] Chen, C., Chen, L., Zou, X. and Cai, P. (2009) Prediction of Protein Secondary Structure Content by Using the Concept of Chou's Pseudo Amino Acid Composition and Support Vector Machine. *Protein & Peptide Letters*, **16**, 27-31.  
<https://doi.org/10.2174/092986609787049420>
- [48] Georgiou, D.N., Karakasidis, T.E., Nieto, J.J. and Torres, A. (2009) Use of Fuzzy Clustering Technique and Matrices to Classify Amino Acids and Its Impact to Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **257**, 17-26.  
<https://doi.org/10.1016/j.jtbi.2008.11.003>
- [49] Li, Z.C., Zhou, X.B., Dai, Z. and Zou, X.Y. (2009) Prediction of Protein Structural Classes by Chou's Pseudo Amino Acid Composition: Approached Using Continuous Wavelet Transform and Principal Component Analysis. *Amino Acids*, **37**, 415-425. <https://doi.org/10.1007/s00726-008-0170-2>
- [50] Lin, H., Wang, H., Ding, H., Chen, Y.L. and Li, Q.Z. (2009) Prediction of Subcellular Localization of Apoptosis Protein Using Chou's Pseudo Amino Acid Composition. *Acta Biotheoretica*, **57**, 321-330. <https://doi.org/10.1007/s10441-008-9067-4>
- [51] Qiu, J.D., Huang, J.H., Liang, R.P. and Lu, X.Q. (2009) Prediction of G-Protein-Coupled Receptor Classes Based on the Concept of Chou's Pseudo Amino Acid Composition: An Approach from Discrete Wavelet Transform. *Analytical Biochemistry*, **390**, 68-73. <https://doi.org/10.1016/j.ab.2009.04.009>
- [52] Zeng, Y.H., Guo, Y.Z., Xiao, R.Q., Yang, L., Yu, L.Z. and Li, M.L. (2009) Using the Augmented Chou's Pseudo Amino Acid Composition for Predicting Protein Submitochondria Locations Based on Auto Covariance Approach. *Journal of Theoretical Biology*, **259**, 366-372. <https://doi.org/10.1016/j.jtbi.2009.03.028>
- [53] Esmaeili, M., Mohabatkar, H. and Mohsenzadeh, S. (2010) Using the Concept of Chou's Pseudo Amino Acid Composition for Risk Type Prediction of Human Papillomaviruses. *Journal of Theoretical Biology*, **263**, 203-209.  
<https://doi.org/10.1016/j.jtbi.2009.11.016>
- [54] Gu, Q., Ding, Y.S. and Zhang, T.L. (2010) Prediction of G-Protein-Coupled Receptor Classes in Low Homology Using Chou's Pseudo Amino Acid Composition with Approximate Entropy and Hydrophobicity Patterns. *Protein & Peptide Letters*, **17**, 559-567. <https://doi.org/10.2174/092986610791112693>
- [55] Mohabatkar, H. (2010) Prediction of Cyclin Proteins Using Chou's Pseudo Amino

Acid Composition. *Protein & Peptide Letters*, **17**, 1207-1214.

<https://doi.org/10.2174/092986610792231564>

- [56] Qiu, J.D., Huang, J.H., Shi, S.P. and Liang, R.P. (2010) Using the Concept of Chou's Pseudo Amino Acid Composition to Predict Enzyme Family Classes: An Approach with Support Vector Machine Based on Discrete Wavelet Transform. *Protein & Peptide Letters*, **17**, 715-722. <https://doi.org/10.2174/092986610791190372>
- [57] Sahu, S.S. and Panda, G. (2010) A Novel Feature Representation Method Based on Chou's Pseudo Amino Acid Composition for Protein Structural Class Prediction. *Computational Biology and Chemistry*, **34**, 320-327. <https://doi.org/10.1016/j.combiolchem.2010.09.002>
- [58] Yu, L., Guo, Y., Li, Y., Li, G., Li, M., Luo, J., Xiong, W. and Qin, W. (2010) SecretP: Identifying Bacterial Secreted Proteins by Fusing New Features into Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **267**, 1-6. <https://doi.org/10.1016/j.jtbi.2010.08.001>
- [59] Guo, J., Rao, N., Li, G., Yang, Y. and Wang, G. (2011) Predicting Protein Folding Rates Using the Concept of Chou's Pseudo Amino Acid Composition. *Journal of Computational Chemistry*, **32**, 1612-1617. <https://doi.org/10.1002/jcc.21740>
- [60] Lin, J. and Wang, Y. (2011) Using a Novel AdaBoost Algorithm and Chou's Pseudo Amino Acid Composition for Predicting Protein Subcellular Localization. *Protein & Peptide Letters*, **18**, 1219-1225. <https://doi.org/10.2174/092986611797642797>
- [61] Lin, J., Wang, Y. and Xu, X. (2011) A Novel Ensemble and Composite Approach for Classifying Proteins Based on Chou's Pseudo Amino Acid Composition. *African Journal of Biotechnology*, **10**, 16963-16968. <https://doi.org/10.5897/AJB11.429>
- [62] Mohabatkar, H., Mohammad Beigi, M. and Esmaeili, A. (2011) Prediction of GABA(A) Receptor Proteins Using the Concept of Chou's Pseudo Amino Acid Composition and Support Vector Machine. *Journal of Theoretical Biology*, **281**, 18-23. <https://doi.org/10.1016/j.jtbi.2011.04.017>
- [63] Mohammad, B.M., Behjati, M. and Mohabatkar, H. (2011) Prediction of Metalloproteinase Family Based on the Concept of Chou's Pseudo Amino Acid Composition Using a Machine Learning Approach. *Journal of Structural and Functional Genomics*, **12**, 191-197. <https://doi.org/10.1007/s10969-011-9120-4>
- [64] Qiu, J.D., Suo, S.B., Sun, X.Y., Shi, S.P. and Liang, R.P. (2011) OligoPred: A Web-Server for Predicting Homo-Oligomeric Proteins by Incorporating Discrete Wavelet Transform into Chou's Pseudo Amino Acid Composition. *Journal of Molecular Graphics & Modelling*, **30**, 129-134. <https://doi.org/10.1016/j.jmgm.2011.06.014>
- [65] Zou, D., He, Z., He, J. and Xia, Y. (2011) Supersecondary Structure Prediction Using Chou's Pseudo Amino Acid Composition. *Journal of Computational Chemistry*, **32**, 271-278. <https://doi.org/10.1002/jcc.21616>
- [66] Cao, J.Z., Liu, W.Q. and Gu, H. (2012) Predicting Viral Protein Subcellular Localization with Chou's Pseudo Amino Acid Composition and Imbalance-Weighted Multi-Label K-Nearest Neighbor Algorithm. *Protein and Peptide Letters*, **19**, 1163-1169. <https://doi.org/10.2174/092986612803216999>
- [67] Chen, C., Shen, Z.B. and Zou, X.Y. (2012) Dual-Layer Wavelet SVM for Predicting Protein Structural Class via the General Form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **19**, 422-429. <https://doi.org/10.2174/092986612799789332>
- [68] Du, P., Wang, X., Xu, C. and Gao, Y. (2012) PseAAC-Builder: A Cross-Platform Stand-Alone Program for Generating Various Special Chou's Pseudo Amino Acid

- Compositions. *Analytical Biochemistry*, **425**, 117-119.  
<https://doi.org/10.1016/j.ab.2012.03.015>
- [69] Fan, G.L. and Li, Q.Z. (2012) Predict Mycobacterial Proteins Subcellular Locations by Incorporating Pseudo-Average Chemical Shift into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **304**, 88-95.  
<https://doi.org/10.1016/j.jtbi.2012.03.017>
- [70] Fan, G.L. and Li, Q.Z. (2012) Predicting Protein Submitochondria Locations by Combining Different Descriptors into the General Form of Chou's Pseudo Amino Acid Composition. *Amino Acids*, **43**, 545-555.  
<https://doi.org/10.1007/s00726-011-1143-4>
- [71] Li, L.Q., Zhang, Y., Zou, L.Y., Zhou, Y. and Zheng, X.Q. (2012) Prediction of Protein Subcellular Multi-Localization Based on the General form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **19**, 375-387.  
<https://doi.org/10.2174/092986612799789369>
- [72] Liu, L., Hu, X.Z., Liu, X.X., Wang, Y. and Li, S.B. (2012) Predicting Protein Fold Types by the General Form of Chou's Pseudo Amino Acid Composition: Approached from Optimal Feature Extractions. *Protein & Peptide Letters*, **19**, 439-449.  
<https://doi.org/10.2174/092986612799789378>
- [73] Nanni, L., Brahnamb, S. and Lumini, A. (2012) Wavelet Images and Chou's Pseudo Amino Acid Composition for Protein Classification. *Amino Acids*, **43**, 657-665.  
<https://doi.org/10.1007/s00726-011-1114-9>
- [74] Nanni, L., Lumini, A., Gupta, D. and Garg, A. (2012) Identifying Bacterial Virulent Proteins by Fusing a Set of Classifiers Based on Variants of Chou's Pseudo Amino Acid Composition and on Evolutionary Information. *IEEE-ACM Transaction on Computational Biology and Bioinformatics*, **9**, 467-475.  
<https://doi.org/10.1109/TCBB.2011.117>
- [75] Niu, X.H., Hu, X.H., Shi, F. and Xia, J.B. (2012) Predicting Protein Solubility by the General Form of Chou's Pseudo Amino Acid Composition: Approached from Chaos Game Representation and Fractal Dimension. *Protein & Peptide Letters*, **19**, 940-948. <https://doi.org/10.2174/092986612802084492>
- [76] Ren, L.Y., Zhang, Y.S. and Gutman, I. (2012) Predicting the Classification of Transcription Factors by Incorporating their Binding Site Properties into a Novel Mode of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **19**, 1170-1176. <https://doi.org/10.2174/092986612803217088>
- [77] Zhao, X.W., Ma, Z.Q. and Yin, M.H. (2012) Predicting Protein-Protein Interactions by Combing Various Sequence-Derived Features into the General Form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **19**, 492-500.  
<https://doi.org/10.2174/092986612800191080>
- [78] Zia-ur-Rehman and Khan, A. (2012) Identifying GPCRs and Their Types with Chou's Pseudo Amino Acid Composition: An Approach from Multi-Scale Energy Representation and Position Specific Scoring Matrix. *Protein & Peptide Letters*, **19**, 890-903. <https://doi.org/10.2174/092986612801619589>
- [79] Chen, Y.K. and Li, K.B. (2013) Predicting Membrane Protein Types by Incorporating Protein Topology, Domains, Signal Peptides, and Physicochemical Properties into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **318**, 1-12. <https://doi.org/10.1016/j.jtbi.2012.10.033>
- [80] Fan, G.L. and Li, Q.Z. (2013) Discriminating Bioluminescent Proteins by Incorporating Average Chemical Shift and Evolutionary Information into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **334**,

45-51. <https://doi.org/10.1016/j.jtbi.2013.06.003>

- [81] Georgiou, D.N., Karakasidis, T.E. and Megaritis, A.C. (2013) A Short Survey on Genetic Sequences, Chou's Pseudo Amino Acid Composition and Its Combination with Fuzzy Set Theory. *The Open Bioinformatics Journal*, **7**, 41-48.  
<https://doi.org/10.2174/1875036201307010041>
- [82] Gupta, M.K., Niyogi, R. and Misra, M. (2013) An Alignment-Free Method to Find Similarity among Protein Sequences via the General Form of Chou's Pseudo Amino Acid Composition. *SAR and QSAR in Environmental Research*, **24**, 597-609.  
<https://doi.org/10.1080/1062936X.2013.773378>
- [83] Huang, C. and Yuan, J. (2013) Using Radial Basis Function on the General Form of Chou's Pseudo Amino Acid Composition and PSSM to Predict Subcellular Locations of Proteins with Both Single and Multiple Sites. *Biosystems*, **113**, 50-57.  
<https://doi.org/10.1016/j.biosystems.2013.04.005>
- [84] Huang, C. and Yuan, J.Q. (2013) A Multilabel Model Based on Chou's Pseudo Amino Acid Composition for Identifying Membrane Proteins with Both Single and Multiple Functional Types. *The Journal of Membrane Biology*, **246**, 327-334.  
<https://doi.org/10.1007/s00232-013-9536-9>
- [85] Huang, C. and Yuan, J.Q. (2013) Predicting Protein Subchloroplast Locations with Both Single and Multiple Sites via Three Different Modes of Chou's Pseudo Amino Acid Compositions. *Journal of Theoretical Biology*, **335**, 205-212.  
<https://doi.org/10.1016/j.jtbi.2013.06.034>
- [86] Khosravian, M., Faramarzi, F.K., Beigi, M.M., Behbahani, M. and Mohabatkar, H. (2013) Predicting Antibacterial Peptides by the Concept of Chou's Pseudo Amino Acid Composition and Machine Learning Methods. *Protein & Peptide Letters*, **20**, 180-186. <https://doi.org/10.2174/092986613804725307>
- [87] Lin, H., Ding, C., Yuan, L.-F., Chen, W., Ding, H., Li, Z.-Q., Guo, F.-B., Huang, J. and Rao, N. (2013) Predicting Subchloroplast Locations of Proteins Based on the General Form of Chou's Pseudo Amino Acid Composition: Approached from Optimal Tripeptide Composition. *International Journal of Biomathematics*, **6**, Article ID: 1350003. <https://doi.org/10.1142/S1793524513500034>
- [88] Liu, B., Wang, X., Zou, Q., Dong, Q. and Chen, Q. (2013) Protein Remote Homology Detection by Combining Chou's Pseudo Amino Acid Composition and Profile-Based Protein Representation. *Molecular Informatics*, **32**, 775-782.  
<https://doi.org/10.1002/minf.201300084>
- [89] Mohabatkar, H., Beigi, M.M., Abdolah, K. and Mohsenzadeh, S. (2013) Prediction of Allergenic Proteins by Means of the Concept of Chou's Pseudo Amino Acid Composition and a Machine Learning Approach. *Medicinal Chemistry*, **9**, 133-137.  
<https://doi.org/10.2174/157340613804488341>
- [90] Qin, Y.F., Zheng, L. and Huang, J. (2013) Locating Apoptosis Proteins by Incorporating the Signal Peptide Cleavage Sites into the General Form of Chou's Pseudo Amino Acid Composition. *International Journal of Quantum Chemistry*, **113**, 1660-1667. <https://doi.org/10.1002/qua.24383>
- [91] Sarangi, A.N., Lohani, M. and Aggarwal, R. (2013) Prediction of Essential Proteins in Prokaryotes by Incorporating Various Physico-Chemical Features into the General Form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **20**, 781-795. <https://doi.org/10.2174/0929866511320070008>
- [92] Wan, S., Mak, M.W. and Kung, S.Y. (2013) GOASVM: A Subcellular Location Predictor by Incorporating Term-Frequency Gene Ontology into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **323**,

40-48. <https://doi.org/10.1016/j.jtbi.2013.01.012>

- [93] Wang, X., Li, G.Z. and Lu, W.C. (2013) Virus-ECC-mPLoc: A Multi-Label Predictor for Predicting the Subcellular Localization of Virus Proteins with Both Single and Multiple Sites Based on a General Form of Chou's Pseudo Amino Acid Composition. *Protein & Peptide Letters*, **20**, 309-317.  
<https://doi.org/10.2174/092986613804910608>
- [94] Niu, X.H., *et al.* (2013) Using the Concept of Chou's Pseudo Amino Acid Composition to Predict Protein Solubility: An Approach with Entropies in Information Theory. *Journal of Theoretical Biology*, **332**, 211-217.  
<https://doi.org/10.1016/j.jtbi.2013.03.010>
- [95] Du, P., Gu, S. and Jiao, Y. (2014) PseAAC-General: Fast Building Various Modes of General Form of Chou's Pseudo Amino Acid Composition for Large-Scale Protein Datasets. *International Journal of Molecular Sciences*, **15**, 3495-3506.  
<https://doi.org/10.3390/ijms15033495>
- [96] Hajisharifi, Z., Piryaiee, M., Mohammad Beigi, M., Behbahani, M. and Mohabatkar, H. (2014) Predicting Anticancer Peptides with Chou's Pseudo Amino Acid Composition and Investigating Their Mutagenicity via Ames Test. *Journal of Theoretical Biology*, **341**, 34-40. <https://doi.org/10.1016/j.jtbi.2013.08.037>
- [97] Jia, C., Lin, X. and Wang, Z. (2014) Prediction of Protein S-Nitrosylation Sites Based on Adapted Normal Distribution Bi-Profile Bayes and Chou's Pseudo Amino Acid Composition. *International Journal of Molecular Sciences*, **15**, 10410-10423.  
<https://doi.org/10.3390/ijms150610410>
- [98] Kong, L., Zhang, L. and Lv, J. (2014) Accurate Prediction of Protein Structural Classes by Incorporating Predicted Secondary Structure Information into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **344**, 12-18. <https://doi.org/10.1016/j.jtbi.2013.11.021>
- [99] Nanni, L., Brahnam, S. and Lumini, A. (2014) Prediction of Protein Structure Classes by Incorporating Different Protein Descriptors into General Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **360**, 109-116.  
<https://doi.org/10.1016/j.jtbi.2014.07.003>
- [100] Zhang, J., Sun, P., Zhao, X. and Ma, Z. (2014) PECM: Prediction of Extracellular Matrix Proteins Using the Concept of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **363**, 412-418.  
<https://doi.org/10.1016/j.jtbi.2014.08.002>
- [101] Zhang, L., Zhao, X. and Kong, L. (2014) Predict Protein Structural Class for Low-Similarity Sequences by Evolutionary Difference Information into the General Form of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **355**, 105-110. <https://doi.org/10.1016/j.jtbi.2014.04.008>
- [102] Zuo, Y.C., Peng, Y., Liu, L., Chen, W., Yang, L. and Fan, G.L. (2014) Predicting Peroxidase Subcellular Location by Hybridizing Different Descriptors of Chou's Pseudo Amino Acid Patterns. *Analytical Biochemistry*, **458**, 14-19.  
<https://doi.org/10.1016/j.ab.2014.04.032>
- [103] Ali, F. and Hayat, M. (2015) Classification of Membrane Protein Types Using Voting Feature Interval in Combination with Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **384**, 78-83. <https://doi.org/10.1016/j.jtbi.2015.07.034>
- [104] Fan, G.L., Zhang, X.Y., Liu, Y.L., Nang, Y. and Wang, H. (2015) DSPMP: Discriminating Secretory Proteins of Malaria Parasite by Hybridizing Different Descriptors of Chou's Pseudo Amino Acid Patterns. *Journal of Computational Chemistry*, **36**, 2317-2327. <https://doi.org/10.1002/jcc.24210>

- [105] Huang, C. and Yuan, J.Q. (2015) Simultaneously Identify Three Different Attributes of Proteins by Fusing Their Three Different Modes of Chou's Pseudo Amino Acid Compositions. *Protein & Peptide Letters*, **22**, 547-556.  
<https://doi.org/10.2174/0929866522666150209151344>
- [106] Khan, Z.U., Hayat, M. and Khan, M.A. (2015) Discrimination of Acidic and Alkaline Enzyme Using Chou's Pseudo Amino Acid Composition in Conjunction with Probabilistic Neural Network Model. *Journal of Theoretical Biology*, **365**, 197-203.  
<https://doi.org/10.1016/j.jtbi.2014.10.014>
- [107] Kumar, R., Srivastava, A., Kumari, B. and Kumar, M. (2015) Prediction of Beta-Lactamase and Its Class by Chou's Pseudo Amino Acid Composition and Support Vector Machine. *Journal of Theoretical Biology*, **365**, 96-103.  
<https://doi.org/10.1016/j.jtbi.2014.10.008>
- [108] Wang, X., Zhang, W., Zhang, Q. and Li, G.Z. (2015) MultiP-SChlo: Multi-Label Protein Subchloroplast Localization Prediction with Chou's Pseudo Amino Acid Composition and a Novel Multi-Label Classifier. *Bioinformatics*, **31**, 2639-2645.  
<https://doi.org/10.1093/bioinformatics/btv212>
- [109] Jiao, Y.S. and Du, P.F. (2016) Prediction of Golgi-Resident Protein Types Using General Form of Chou's Pseudo Amino Acid Compositions: Approaches with Minimal Redundancy Maximal Relevance Feature Selection. *Journal of Theoretical Biology*, **402**, 38-44. <https://doi.org/10.1016/j.jtbi.2016.04.032>
- [110] Tang, H., Chen, W. and Lin, H. (2016) Identification of Immunoglobulins Using Chou's Pseudo Amino Acid Composition with Feature Selection Technique. *Molecular BioSystems*, **12**, 1269-1275. <https://doi.org/10.1039/C5MB0083B>
- [111] Zou, H.L. and Xiao, X. (2016) Predicting the Functional Types of Singleplex and Multiplex Eukaryotic Membrane Proteins via Different Models of Chou's Pseudo Amino Acid Compositions. *The Journal of Membrane Biology*, **249**, 23-29.  
<https://doi.org/10.1007/s00232-015-9830-9>
- [112] Huo, H., Li, T., Wang, S., Lv, Y., Zuo, Y. and Yang, L. (2017) Prediction of Presynaptic and Postsynaptic Neurotoxins by Combining Various Chou's Pseudo Components. *Scientific Reports*, **7**, Article No. 5827.  
<https://doi.org/10.1038/s41598-017-06195-y>
- [113] Rahimi, M., Bakhtiarizadeh, M.R. and Mohammadi-Sangcheshmeh, A. (2017) OO-genesis\_Pred: A Sequence-Based Method for Predicting Oogenesis Proteins by Six Different Modes of Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **414**, 128-136. <https://doi.org/10.1016/j.jtbi.2016.11.028>
- [114] Tripathi, P. and Pandey, P.N. (2017) A Novel Alignment-Free Method to Classify Protein Folding Types by Combining Spectral Graph Clustering with Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*, **424**, 49-54.  
<https://doi.org/10.1016/j.jtbi.2017.04.027>
- [115] Yu, B., Lou, L., Li, S., Zhang, Y., Qiu, W., Wu, X., Wang, M. and Tian, B. (2017) Prediction of Protein Structural Class for Low-Similarity Sequences Using Chou's Pseudo Amino Acid Composition and Wavelet Denoising. *Journal of Molecular Graphics and Modelling*, **76**, 260-273. <https://doi.org/10.1016/j.jmgm.2017.07.012>
- [116] Al Maruf, M.A. and Shatabda, S. (2018) iRSpot-SF: Prediction of Recombination Hotspots by Incorporating Sequence Based Features into Chou's Pseudo Components. *Genomics*, **18**, 63-82.
- [117] Arif, M., Hayat, M. and Jan, Z. (2018) iMem-2LSAAC: A Two-Level Model for Discrimination of Membrane Proteins and Their Types by Extending the Notion of SAAC into Chou's Pseudo Amino Acid Composition. *Journal of Theoretical Biology*,

*gy*, **442**, 11-21. <https://doi.org/10.1016/j.jtbi.2018.01.008>

- [118] Cui, X., Yu, Z., Yu, B., Wang, M., Tian, B. and Ma, Q. (2018) UbiSitePred: A Novel Method for Improving the Accuracy of Ubiquitination Sites Prediction by Using LASSO to Select the Optimal Chou's Pseudo Components. *Chemometrics and Intelligent Laboratory Systems (CHEMOLAB)*, **17**, 512-538.
- [119] Mei, J. and Zhao, J. (2018) Prediction of HIV-1 and HIV-2 Proteins by Using Chou's Pseudo Amino Acid Compositions and Different Classifiers. *Scientific Reports*, **8**, Article No. 2359. <https://doi.org/10.1038/s41598-018-20819-x>
- [120] Zhang, L. and Kong, L. (2018) iRSpot-ADPM: Identify Recombination Spots by Incorporating the Associated Dinucleotide Product Model into Chou's Pseudo Components. *Journal of Theoretical Biology*, **441**, 1-8.  
<https://doi.org/10.1016/j.jtbi.2017.12.025>
- [121] Zhang, S., Yang, K., Lei, Y. and Song, K. (2018) iRSpot-DTS: Predict Recombination Spots by Incorporating the Dinucleotide-Based Spare-Cross Covariance Information into Chou's Pseudo Components. *Genomics*, **11**, 457-464.
- [122] Al Maruf, M.A. and Shatabda, S. (2019) iRSpot-SF: Prediction of Recombination Hotspots by Incorporating Sequence Based Features into Chou's Pseudo Components. *Genomics*, **111**, 966-972. <https://doi.org/10.1016/j.ygeno.2018.06.003>
- [123] Nosrati, M., Mohabatkar, H. and Behbahani, M. (2019) Introducing of an Integrated Artificial Neural Network and Chou's Pseudo Amino Acid Composition Approach for Computational Epitope-Mapping of Crimean-Congo Haemorrhagic Fever Virus Antigens. *International Immunopharmacology*, **78**, Article ID: 106020.  
<https://doi.org/10.1016/j.intimp.2019.106020>
- [124] Pan, Y., Wang, S., Zhang, Q., Lu, Q., Su, D., Zuo, Y. and Yang, L. (2019) Analysis and Prediction of Animal Toxins by Various Chou's Pseudo Components and Reduced Amino Acid Compositions. *Journal of Theoretical Biology*, **462**, 221-229.  
<https://doi.org/10.1016/j.jtbi.2018.11.010>
- [125] Tahir, M., Tayara, H. and Chong, K.T. (2019) iRNA-PseKNC(2methyl): Identify RNA 2'-O-Methylation Sites by Convolution Neural Network and Chou's Pseudo Components. *Journal of Theoretical Biology*, **465**, 1-6.  
<https://doi.org/10.1016/j.jtbi.2018.12.034>
- [126] Tian, B., Wu, X., Chen, C., Qiu, W., Ma, Q. and Yu, B. (2019) Predicting Protein-Protein Interactions by Fusing Various Chou's Pseudo Components and Using Wavelet Denoising Approach. *Journal of Theoretical Biology*, **462**, 329-346.  
<https://doi.org/10.1016/j.jtbi.2018.11.011>
- [127] Zhang, L. and Kong, L. (2019) iRSpot-PDI: Identification of Recombination Spots by Incorporating Dinucleotide Property Diversity Information into Chou's Pseudo Components. *Genomics*, **111**, 457-464. <https://doi.org/10.1016/j.ygeno.2018.03.003>